

HERDER

PRODUCT SPEC BOOK VEHICLE SPECIFICATIONS • ACCESSORIES

2022



2022 DEFENDER

VEHICLE SPECIFICATIONS

FEATURED PACKAGES	
Defender	6
Defender XT	8
COMPARATIVE CHART	
Defender Comparative Chart	10


ACCESSORIES

Roofs	20
Cabs	21
Windshields & Mirrors	22
Doors	24
Rear Wind Protection	25
Aluminum Skid Plates	26
Bumpers & Guards	27
LinQ [®] : Easy On, Easy Off Cargo	31
Cargo & Storage	36
Racks & Holders	39
Lights	42
Audio & Communication Systems	45
Electronic Accessories	46
Winches & Hitches	49
Seats	52
Performance	53
Apache Track Systems	56
ProMount Plows	58
Covers & Add-Ons	62
Tires & Rims	62



© 2021 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. ¹All other trademarks are the property of their respective owners. Some models depicted herein may include optional equipment. Prices, if shown, are based on Manufacturer Suggested Retail Prices. Dealers may sell for a different price. For Canada and the US, taxes are not included. Depending on location, products are distributed by BRP US Inc., Bombardier Recreational Products Inc., BRP European Distribution SA, BRP Finland Oy, BRP Australia Pty Ltd. or BRP Brasil Motorsports LTDA. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features or equipment without incurring obligations. Printed in Canada.

CAN-AMOFFROAD.COM



VEHICLE SPECIFICATIONS

FEATURED PACKAGES

Detender	
Defender XT	٤
COMPARATIVE CHART	
Defender Comparative Chart	1(





HIGHLIGHTS

TOUGH	Heavy-duty Rotax [*] engine Smooth, durable and responsive transmission True Can-Am DNA with a strong identity
CAPABLE	• Work or ride with confidence • Meaningful and versatile functionality • Easy handling and capabilities
CLEVER	Advanced comfort and intuitive cockpit with optimized visibility Multifunction cargo box with sturdy tailgate and smart storage 1 year maintenance-free and easy access to key maintenance components
PLATFORM FEATURES	• 62 in. wide • 63 in. wheelbase • 11 in. of ground clearance • 2,500 lb towing capacity • Multifunction cargo box • 14 in. steel wheels with 27 in. XPS Trail Force tires • Rear differential with Turf mode • VERSA-PRO bench seat • HMWPE central skid plate • ECO [™] (ECO [™] Off/Work modes • 4.5 in. wide digital display

ENGINES	HD7 HD9			
Туре	52 hp / 41 lb-ft, Rotax ^a ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled	65 hp / 59 lb-ft , Rotax* 976 cc, V-twin, liquid-cooled		
Fuel Delivery System	Intelligent Thrott with Electronic F			
Transmission	PDrive primary CVT with engine braking and Electronic Drive Belt Protection L/H/N/R/P	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection Extra L/H/N/R/P		
Drive Train		Selectable Turf Mode / 2WD/4WD with Visco-Lok† auto-locking front differential		
Driving Assistance		Electronic Hill Descent Control ECO™/ECO™ Off/Work modes		
Power Steering	N,	N/A		
SUSPENSIONS				
Front Suspension	Double A-arm/10	Double A-arm/10 in. (25.4 cm) travel		
Front Shocks	Twin tube gas-o	Twin tube gas-charged shocks		
Rear Suspension	TTA with external sway b	TTA with external sway bar/10 in. (25.4 cm) travel		
Rear Shocks	Twin tube gas-o	Twin tube gas-charged shocks		
TIRES & WHEELS				
Front Tires	XPS Trail Force	XPS Trail Force 27 x 9 x 14 in.		
Rear Tires	XPS Trail Force	XPS Trail Force 27 x 11 x 14 in.		

DIMENSIONS & CAPACITIES	HD7	HD9
Chassis/Cage	Profiled cage, ROPS approved	
Estimated Dry Weight	1,475 lb (669.2 kg)	1,479 lb (671 kg)
LxWxH	121 x 62 x 76 in. (307	7.1 x 157.5 x 193 cm)
Wheelbase	83 in. (2	11.5 cm)
Ground Clearance		28 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96	.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)/ California only: 600 lb (272.2 kg)	
Power Tilt Bed	N/A	
Tailgate Load Capacity	250 lb (113.4 kg)	
Storage Capacity	Total: 3.1 gal (11.7 L) Under dash (enclosed pocket): 0.4 gal (1.3 L) Dash: 1.8 gal (6.9 L) Armests and cup holders: 0.9 gal (3.5 L)	
Towing Capacity	2,500 lb (1,134 kg)	
Payload Capacity	1,500 lb (680 kg)	
Fuel Capacity	10.6 gal (40 L)	
Person Capacity	3	
FEATURES		
Gauge	4.5 in, wide d	igital display:

Front Tires	XPS Trail Force 27 x 9 x 14 in.		
Rear Tires	XPS Trail Force 27 x 11 x 14 in.		
Wheels	14 in. steel		

BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers	

Gauge	4.5 in. wide digital display: speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, ECO [™] /ECO [™] Off/Work modes, seat belt and 4 x 4 indicator, front and rear diff. lock indicators, diagnostics, clock, battery voltage, engine temperature	
Battery	12 V (18 amp/h)	
Magneto	650 W	
Instrumentation	Lighter-type DC outlet in console (20 A)	
Lighting	140 W lighting output from four 35 W reflectors ensuring wide visibility and LED tail lights	
Winch	N/A	
Seat	VERSA-PRO bench seat with passenger seats flipping up, underside hooks and contoured bench to improve entrance/exit of the cab	
Steering Wheel	Adjustable tilt steering	
Protection	Integrated front steel bumper, HMWPE central skid plate	
Hitch Type	2 in. hitch receiver	

WARRANTY & EXTENDED SERVICE

WARRANTY & EXTENDED SERVICE			
Factory Warranty 1 year BRP limited warranty			
Extended Service Terms	B.E.S.T. term available up to 30 months		



Tundra Green

FEATURE HIGHLIGHTS



Efficient Rotax Engine

Now introducing two new engines with class-leading torque: The HD9 with up to 65 hp/59 lb-ft and the HD7 with up to 52 hp/41 lb-ft. The Can-Am Defender delivers a quieter cockpit with lower sound levels, built for long hours of work without complaint.



Tow Like a Pro

The Can-Am Defender can tow up to 2,500 lbs (1,134 kg). Strong engine, profiled chassis cage, and compact, hard working suspension. Electronic Hill Descent Control and Work Mode driving assistance technology make it an effortless 2,500.



Carry Any Cargo

With just one cargo box, the Can-Am Defender can hold 1,000 lbs (454 kg). That's thanks to a sturdy tailgate and smart storage, including easy to use LinQ quick-attach points. There's no itinerary this ride can't handle.



Rugged XPS Tires and Steel Wheels

The Can-Am Defender sits on 14 inch steel wheels with 27 inch XPS Trail Force tires. These tires are built to perform in any condition. Because the weather shouldn't get in the way of a ride. It should encourage one.




On-Demand Capability

Meet your new favorite coworker. Towing a trailer, blazing through sand, or seamlessly selecting Turf Mode, 2WD, 4WD, and back, the Can-Am Defender puts the power down on every terrain so it's the rock at your side workday after workday.



Pick-Up Style Seats

Dual VERSA-PRO 40/20/40 bolster bench seat for additional lateral support, inspired by modern pick-up trucks. The passenger seats flip up and have underside hooks for extra storage. Contoured bench seats with better bolsters aren't just for comfort: they make it easier to get in and out.



Central Skid Plate

Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. How do they do it? The abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE) they're made of. It's lighter than aluminum. And tougher.



Three Driving Modes

Drivers can select between three different driving modes on the Can-Am Defender: ECO, ECO Off and Work. Each one allows the driver to adapt to the riding conditions. Modes vary in speed, torque, and throttle response so riders can pick with purpose.

DEFENDER XT

HIGHLIGHTS	HD9	HD10		HD9	HD10
TOUGH	Heavy-duty Rotax* engine Smooth, durable and responsive transmission True Can-Am DNA with a strong identity		SPECIFIC TO XT PACKAGE	Visco-Lok QE front differential 14 in. cast-aluminum wheels VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable driver seat HMWPE full skid plate 4,500 lb (2,014 kg) winch XT front bumper Full hard roof Brake holding mechanism Mossy Oak" Break-Up	64 in. wide with Arched A-arm Visco-Lok QE front differential 14 in. cast-aluminum wheels VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable driver seat HMWPE full skid plate 4,500 lb (2,014 kg) winch XT front bumper Full hard roof Brake holding mechanism
CAPABLE	Work or ride with confidence Meaningful and versatile functionality Easy handling and capabilities Advanced comfort and intuitive cockpit with optimized visibility Multifunction cargo box with sturdy tailgate and smart storage 1 year maintenance-free and easy access to key maintenance components		nd versatile functionality and capabilities nfort and intuitive cockpit with optimized visibility cargo box with sturdy tailgate and smart storage nance-free and easy access		
CLEVER					
PLATFORM FEATURES	• 62 in. wide • 83 in. wheelbase • 11 in. of ground clearance • Dynamic Power Steering (DPS) • ECO™/EO™ Off /Work modes 2.500 lb towing capacity • Multifunction cargo box 27 in. XPS Trail Force • Rear differential with Turf mode • 4.5 in. digital display	 83 in. wheelbase 13 in. of ground clearance Dynamic Power Steering (DPS) ECO^W/ECO^M Off / Work modes 2,500 lb towing capacity Multifunction cargo box 27 in. Maxxis¹ Bighorn 2.0 Rear differential with Turf mode 4.5 in. digital display 		Country Camo water-dipped option	Mossy Oak [*] Break-Up Country Camo water-dipped option

ENGINES	HD9	HD10		
Туре	65 hp / 59 lb-ft , Rotax® 976 cc, V-twin, liquid-cooled	82 hp/69 lb-ft, Rotax* 976 cc, V-twin, liquid-cooled		
Fuel Delivery System		Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		
Transmission	high-airflow ventilation and El	PRO-TORQ CVT Transmission with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection Extra L/H/N/R/P		
Drive Train		Selectable Turf Mode/2WD/4WD with Visco-Lok [†] QE auto-locking front differential		
Driving Assistance		Electronic Hill Descent Control ECO™/ECO™ Off/Work modes		
Power Steering	Dynamic Power	Dynamic Power Steering (DPS)		

SUSPENSIONS

Front Suspension	Double A-arm/10 in. (25.4 cm) travel (27.9 cm) trav		
Front Shocks	Twin tube gas-charged shocks		
Rear Suspension	TTA with external sway bar/10 in. (25.4 cm) travel	Arched TTA with external sway bar/11 in. (27.9 cm) travel	
Rear Shocks	Twin tube gas-charged shocks		

TIRES & WHEELS

Front Tires	XPS Trail Force 27 x 9 x 14 in. Maxxis Bighorn 2.0 27 x 9 x 14	
Rear Tires	XPS Trail Force 27 x 11 x 14 in.	Maxxis Bighorn 2.0 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum	

BRAKES

Diviteo	
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers
	Brake-holding mechanism

DIMENSIONS & CAPACITIES	HD9	HD10	
Chassis/Cage	Profiled cage, F	ROPS approved	
Estimated Dry Weight	1,606 lb (728,5 kg)	1,600.6 lb (726 kg)	
LxWxH	125.7 x 62 x 78 in. (319.4 x 157.5 x 198.1 cm)	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2cm)	
Wheelbase	83 in. (2	11.5 cm)	
Ground Clearance	11 in. (28 cm)	13 in. (33 cm)	
Cargo Box Dimensions	38 x 54.5 x 12 in. (96	.5 x 138.4 x 30.5 cm)	
Cargo Box Capacity	1,000 lb (454 kg)/Californ	nia only: 600 lb (272.2 kg)	
Power Tilt Bed	N,	/A	
Tailgate Load Capacity	250 lb (1	13.4 kg)	
Storage Capacity	Total: 16.2 gal (61.3 L) Under dash: 6 gal (22.8 L) Waterproof and removable box under passenger seat: 5.6 gal (21 l Dash: 2 gal (7.7 L) Water-resistant and removable toolbox: 1.7 gal (6.3 L) Armrests and cup holders: 0.9 gal (3.5 L)		
Towing Capacity	2,500 lb (1,134 kg)	
Payload Capacity	1,500 lb	(680 kg)	
Fuel Capacity	10.6 ga	il (40 L)	
Person Capacity	3	3	
FEATURES			
Gauge	4.5 in. wide digital display: speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, EECO™/ECO™ Off/Work modes, seat belt and 4 x 4 indicator, front and rear diff. lock indicators, diagnostics, clock, battery voltage, engine temperature		
Battery	12 V (30	amp/h)	
Magneto	650	W	
Instrumentation		s in the console (10 A) in the dash storage (10 A)	
Lighting		rom four 35 W reflectors nd premium LED tail lights	
Winch	4,500 lb (2,041 kg) wir	nch with roller fairlead	
Seat	VERSA-PRO bolster bench see with passenger seats flipping up, hooks, reinforced XT seat to improve entran	adjustable driver seat, underside skin and contoured bench	

WARRANTY & EXTENDED SERVICE

Steering Wheel

Protection

Hitch Type

Factory Warranty	1 year BRP limited warranty
Extended Service Terms	B.E.S.T. term available up to 30 months

Adjustable tilt steering

XT front bumper, HMWPE full skid plate, full hard roof

2 in. hitch receiver



Oxford Blue Stone Gray
Timeless Black Mossy Oak Break-Up Country Camo

FEATURE HIGHLIGHTS



Remarkable Rotax Engine

Get a load of the HD9 & HD10 engines with industry-leading torque of up to 69 lb-ft. The Can-Am Defender XT delivers a quieter cockpit with low-intensity sound that's easy on the ears. This ride is built for long hours of hard work.



Tow Like a Pro

The Can-Am Defender XT can tow up to 2,500 lbs (1,134 kg). Strong engine, profiled chassis cage, and compact, hard working suspension. Add Electronic Hill Descent Control and Work Mode driving assistance technology to the mix, and that's an effortless 2,500.



Carry Any Cargo

With just one cargo box, the Can-Am Defender XT can hold 1,000 lbs (454 kg). That's thanks to a sturdy tailgate and smart storage, including easy to use LinQ quick-attach points. There's no itinerary this ride can't handle.



Rugged XPS Tires and Steel Wheels

The Can-Am Defender XT sits on 14 inch cast-aluminum wheels with 27 inch Maxxis Bighorn 2.0 (HD10) or XPS Trail Force (HD9) tires built to perform in any condition. Because the weather shouldn't get in the way of a ride. It should encourage one.



Pick-Up Style Seats

Dual VERSA-PRO 40/20/40 bolster bench seat for additional lateral support, inspired by modern pick-up trucks. The passenger seats flip up and have underside hooks for extra storage. Contoured bench seats with better bolsters aren't just for comfort. They improve the entrance and exit of the cab.



Power Out of a Jam

The 4,500-lb (2,041 kg) integrated winch with roller fairlead engages with the flick of a switch to dominate the most difficult tasks. Effective for vehicle recovery, hunting trips, clearing brush, and at the job site. It's one of the most powerful tools built into the Defender XT.



Protection Where It Counts

This model sports a full hard roof, XT front bumper, and High Molecular Weight Polyethylene (HMWPE) full skid plate. So no matter the terrain or weather, these beauties are protected from the worst of it.

	DEFENDER					
	COLOR OPTIONS	Tundra Green				
	HD7 HD9					
	Туре	52 hp/41 lb-ft, Rotax ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled	65 hp/59 lb-ft , Rotax 976 cc, V-twin, liquid cooled			
	Fuel Delivery System	Intelligent Throttle Control (iTC) v	vith Electronic Fuel Injection (EFI)			
ENGINES	Transmission	PDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	PRO-TORQ CVT Transmission with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P			
	Drive Train	Selectable Turf Mode/2WD/4WD with	/isco-Lok auto-locking front differential			
	Driving Assistance	Electronic Hill Descent Contr	ol, ECO/ECO Off/Work modes			
	Power Steering	Ν	/A			
S	Front Suspension	Double A-arm/10	in. (25.4 cm) travel			
SUSPENSIONS	Front Shocks	Twin tube gas o	charged shocks			
USPEN	Rear Suspension	TTA with external sway I	bar/10 in. (25.4 cm) travel			
S	Rear Shocks	Twin tube gas of	charged shocks			
TIRES/ WHEELS	Front Tires Rear Tires	XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in.	XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in.			
H H	Wheels	14 in. steel	14 in. steel			
S	Front	Dual 220 mm disc brakes with	hydraulic twin-piston calipers			
BRAKES	Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers				
		N	/A			
	Cage	Profiled cage. ROPS approved				
	Estimated Dry Weight					
	L x W x H Wheelbase	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm) 83 in. (211.5 cm)				
	Ground Clearance	83 in. (211.5 cm) 11 in. (28 cm)				
ITIES	Cargo Box Dimensions					
DIMENSIONS / CAPACITIES	Cargo Box Capacity		nia only: 600 lb (272.2 kg)			
0 / SNO	Power Tilt Bed		/Α			
ENSIC	Tailgate Load Capacity	250 lb (113.4 kg)			
DIM	Storage Capacity	Total: 3.1 Under dash (enclosed pocket) : 0.4 gal (1.3 L]/Dash : 1	gal (11.7 L) 8 agi (6.9 L) / Armrests and cup holders: 0.9 gal (3.5 L)			
	Towing Capacity		(1134 kg)			
	Payload Capacity	1,500 lb	(680 kg)			
	Fuel Capacity	10.6 ge	si (40 L)			
	Person Capacity		3			
	Gauge	4.5 in. wide digital display: Speedometer, tachomete ECO/ECO Off/Work modes, seat belt and 4 \times 4 indicator, front and rear di	r, odometer, trip and hour meters, fuel, gear position, ff lock indicators, diagnostics, clock, battery voltage, engine temperature			
	Battery	12-V (18	amp/h)			
	Magneto	650-W				
	Instrumentation	Lighter type DC outlet in console (20-A)				
S	Lighting	140 W lighting output from four 35-W reflecto	rs ensuring a wide visiblity and LED tail lights			
FEATURES	Winch	N	/Α			
E	Seat	VERSA-PRO bench seat with passenger seats flipping up, undersit	de hooks and contoured bench to improve entrance/exit of the cab			
	Steering Wheel	Adjustable	tilt steering			
	Protection	Integrated front steel bumper/HMWPE central skid plate				
	Hitch Type	2-in. hitch	nreceiver			
1-year E	RP Limited warranty. B.E.S	.T. term available up to 30 months.				

	DPS		DPS CAB
Tundra Green Mossy Oak Break-Up Country Camo	Tundra Green Oxford Blue Timeless Black Mossy Oak Break-Up Country Camo	Tundra Green Oxford Blue Timeless Black	Tundra Green/HD9
HD7	HD9	HD10	HD9
52 hp/41 lb-ft, Rotax ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled	65 hp/59 lb-ft , Rotax 976 cc, V-twin, liquid cooled	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled	65 hp/59 lb-ft , Rotax 976 cc, V-twin, liquid cooled
	Intelligent Throttle Control (iTC)	vith Electronic Fuel Injection (EFI)	
PDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	PRC	D-TORQ CVT Transmission with Quick Response System (C high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	NRS), n
Selectable	Furf Mode/2WD/4WD with Visco-Lok QE auto-locking from	t differential	Selectable Turf Mode / 2WD / 4WD with Visco-Lok auto-locking front differential
	Electronic Hill Descent Contr	ol, ECO/ECO Off/Work modes	
	Dynamic Powe	r Steering (DPS)	
Double A-arm/10	in. (25.4 cm) travel	Arched double A-arm/11 in. (27.9 cm) travel	Arched double A-arm with swaybar/10 in. (25.4 cm) travel
	Twin tube gas o	charged shocks	·
 TTA with external sway l	par/10 in. (25.4 cm) travel	Arched TTA with external sv	vay bar/10 in. (25.4 cm) travel
	Twin tube gas o	charged shocks	
XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in. 14 in. cast-aluminum	XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in. 14 in. cast-aluminum	Maxxis Bighorn 2.0° 27 x 9 x 14 in. Maxxis Bighorn 2.0 27 x 11 x 14 in. 14 in. cast-aluminum	XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in. 14 in. cast-aluminum
	Dual 220 mm disc brakes with	hydraulic twin-piston calipers	
	Dual 220 mm disc brakes with	hydraulic single-piston calipers	
	Ν	/A	
	Profiled cage.	ROPS approved	
1,460 lb (662.3 kg)	1,541 lb (698.8 kg)	1,536.6 lb (697 kg)	1,820 lb (825.5 kg)
121 x 62 x 76 in. (30	7.1 x 157.5 x 193 cm)	121 x 64 x 78 in. (307.1 x 162.5 x 198.1 cm)	121 x 65 x 79 in. (307.1 x 165.1 x 201 cm)
	83 in. (2	11.5 cm)	
11 in. (28 cm)	13 in. (33 cm)	12 in. (30.5 cm)
		.5 x 138.4 x 30.5 cm)	
		nia only: 600 lb (272.2 kg)	
		/Α	
	250 lb (Total: 10.4	113.4 kg) 	
Under dash:	6 gal (22.8 L)/Dash: 1.8 gal (6.9 L)/Water-resistant and ren	novable toolbox: 1.7 gal (6.3 L)/Armrests and cup holders: (0.9 gal (3.5 L)
		(1134 kg)	
	1,500 lb (680 kg)	al (40 L)	1,200 lb (544 kg)
		31 (40 L) 	
	4.5 in. wide digital display: Speedometer, tachomete	r, odometer, trip and hour meters, fuel, gear position,	
ECO/ECO Off/	Work modes, seat belt and 4 x 4 indicator, front and rear di 12-V (18 amp/h)	ff lock indicators, diagnostics, clock, battery voltage, engi	12-V (30 amp/h)
	·	D-W	12 ¥ (60 amp/n)
		let in console (20-A)	
		rs ensuring a wide visiblity and LED tail lights	
	N	/A	
VERSA-	PRO bench seat with passenger seats flipping up, undersi	de hooks and contoured bench to improve entrance/exit o	f the cab
	Adjustable	tilt steering	
	Integrated front steel bumper HMWPE central skid plate		Integrated front steel bumper/HMWPE central skid plate/full hard roof with liner and interior dome light Full doors with electric opening windows/3-position full glass tilt up windshield with wiper/washer kit/rear glass window
	2-in. hitcl	nreceiver	

DEFENDER		Limited	x	т	X mr			
	ľ							
	COLOR OPTIONS	Stone Gray Oxford Blue Mossy Oak Break-Up Country Camo	Oxfor Timeles Ston Mossy Oak Break	s Black Gray	Liquid Titanium & Magma Red Mossy Oak Break-Up Country Camo			
		HD10	HD9	HD10	HD10			
	Туре	82 hp / 69 lb-ft, Rotax 976 cc, V-twin, liquid cooled	65 hp/59 lb-ft , Rotax 976 cc, V-twin, liquid cooled	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled with strategically positioned engine air intake			
	Fuel Delivery System		Intelligent Throttle Control (iTC) v	vith Electronic Fuel Injection (EFI)	PRO-TORQ CVT Transmission with Quick			
ENGINES	Transmission	hig	DRQ CVT Transmission with Quick Response System h airflow ventilation and Electronic Drive Belt Protect Extra-L / H / N / R / P					
	Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok auto-locking front differential	Selectable Turf Mode/2WD/4WD with Vis	sco-Lok QE auto-locking front differential	Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok* technology.			
	Driving Assistance		Electronic Hill Descent Contro	ol, ECO/ECO Off/Work modes	07			
	Power Steering		Dynamic Power	Steering (DPS)				
s	Front Suspension	Arched double A-arm with sway bar 10 in. (25.4 cm) travel	Double A-arm 10 in. (25.4 cm) travel	Arched double A-arm 11 in. (27.9 cm) travel	Arched double A-arm with sway bar 10 in. (25.4 cm) travel			
SUSPENSIONS	Front Shocks	io in. (20.4 cm) travel	10 in. (25.4 cm) travel Twin tube gas o	· · · ·	10 m. (20.4 cm) travel			
PENS		Arched TTA with external sway bar	TTA with external sway bar	Arched TTA with external sway bar	Arched TTA with external sway bar			
sus	Rear Suspension	10 in. (25.4 cm) travel	10 in. (25.4 cm) travel	11 in. (27.9 cm) travel	10 in. (25.4 cm) travel			
	Rear Shocks		Twin tube gas o					
WHEELS	Front Tires Rear Tires Wheels	XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in. 14 in. cast-aluminum	XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in. 14 in. cast-aluminum	Maxxis Bighorn 2.0 27 x 9 x 14 in. Maxxis Bighorn 2.0 27 x 11 x 14 in. 14 in. cast-aluminum	ITP Cryptid 30 x 9 x 14 in. ITP Cryptid 30 x 11 x 14 in. 14 in. cast-aluminum			
S	Front		Dual 220 mm disc brakes with	hydraulic twin-piston calipers				
BRAKES	Rear		Dual 220 mm disc brakes with	nydraulic single-piston calipers				
8			Brake holding	g mechanism				
	Cage		Profiled cage. F	ROPS approved				
	Estimated Dry Weight	1,928 lb (874.5 kg)	1,606 lb (728. 5 kg)	1,600.6 lb (726 kg)	1,697.6 lb (770 kg)			
	LxWxH	126 x 65 x 79 in. (319 x 165.1 x 201 cm)	125.7 x 62 x 78 in. (319.4 x 157.5 x 198.1 cm)	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm)	129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm)			
	Wheelbase		83 in. (2	11.5 cm)				
	Ground Clearance	12 in. (30.5 cm)	11 in. (28 cm)	13 in. (33 cm)	15 in. (38.1 cm)			
ES	Cargo Box Dimensions		38 x 54.5 x 12 in. (96					
ACITI	Cargo Box Capacity	1,000 lb (454 kg)/California only: 600 lb (272.2 kg)						
CAP/	Power Tilt Bed	N/A						
NS /	Tailgate Load Capacity		250 lb (1	250 lb (113.4 kg)				
DIMENSIONS / CAPACITIES	Storage Capacity	Total: 12.7 gal (48.1 L) Waterproof and removable box under passenger seat: 5.6 gal (21 L)/Dash: 2 gal (7.7 L)/Water-resistant and removable toolbox: 1.7 gal (6.3 L)/Under dash: 1.6 gal (6.1 L)/Armrests and cup holders: 0.9 gal (3.5 L)/Interior doors: 0.8 gal (3.4 L)		Total: 16.2 gal (61.3 L) Under dash: 6 gal (22.8 L) Waterproof and removable box under passenger seat: 5.6 gal (21 L) Dash: 2 gal (7.7 L) Water-resistant and removable toolbox: 1.7 gal (6.3 L) Armersts and cup holders: 0.9 gal (3.5 L)				
	Towing Capacity		2,500 lb	(1134 kg)				
	Payload Capacity	1,200 lb (544 kg)						
	Fuel Capacity	1,200 lb (544 kg)		1,500 lb (680 kg)				
		1,200 ID (344 Kg)	10.6 ga	I (40 L)				
	Person Capacity		10.6 ga	I (40 L)				
		7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature	4.5 in. wide digital display: Speedometer, tachor position, ECO/ECO Off/Work modes, seat b	l (40 L) 3 neter, odometer, trip and hour meters, fuel, gear	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature			
	Person Capacity	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat beit and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock,	4.5 in. wide digital display: Speedometer, tachor position, ECO/ECO Off/Work modes, seat b	I (40 L) 3 neter, odometer, trip and hour meters, fuel, gear alt and 4 x 4 indicator, front and rear diff lock	Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock,			
	Person Capacity Gauge	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat beit and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock,	4.5 in. wide digital display: Speedometer, tachor position, ECO/ECO Off/Work modes, seat b indicators, diagnostics, clock, bat	I (40 L) 3 neter, odometer, trip and hour meters, fuel, gear alt and 4 x 4 indicator, front and rear diff lock	Speedometer, tachometer, ddometer, trips and hour meters, fuel, gear position, EGO/ECO Off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff look indicators, diagnostics, clock, battery voltage, engine temperature 12-V (30 amp/h)			
	Person Capacity Gauge Battery	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Gff/ Work modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature 850-W	4.5 in. wide digital display: Speedometer, tachor position, ECO/ECO Off/Work modes, seat b indicators, diagnostics, clock, bat	I (40 L) a neter, odometer, trip and hour meters, fuel, gear elt and 4 x 4 indicator, front and rear diff lock tery voltage, engine temperature 650-W	Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature			
tes	Person Capacity Gauge Battery Magneto	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Gff/ Work modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature 850-W	4.5 in. wide digital display: Speedometer, tachor position, ECO/ECO Off/Work modes, seat b indicators, diagnostics, clock, bar 12-V (30 amp/h)	I (40 L) a neter, odometer, trip and hour meters, fuel, gear lt and 4 x 4 indicator, front and rear diff lock tery voltage, engine temperature 650-W the dash storage (10-A)	Speedometer, tachometer, dometer, trips and hour meters, fuel, gear position, EO/CeO off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff look indicators, diagnostics, clock, battery voltage, engine temperature 12-V (30 amp/h) Two lighter type DC outlets, one in the console			
VTURES	Person Capacity Gauge Battery Magneto Instrumentation	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 × 4 indicators, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature 850-W Lighter type DC outlett 140 W lighting output from four 35-W reflectors ensuring a wide visibility, signature LED and	4.5 in. wide digital display: Speedometer, tachor position, ECO/ECO Off/Work modes, seat b indicators, diagnostics, clock, bal 12-V (30 amp/h) in the console (10-A) and two lighted USB port in	I (40 L) a neter, odometer, trip and hour meters, fuel, gear lt and 4 x 4 indicator, front and rear diff lock tery voltage, engine temperature 650-W the dash storage (10-A)	Speedometer, tachometer, dometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature 12-V (30 amp/h) Two lighter type DC outlets, one in the console (20-A) and one in the under dash storage (20-A) 140 W lighting output from forw 35-W reflectors ensuring a wide visibility, signature LED and LED tail lights Relocated 4,500-Ib (2,041 kg) winch with			
FEATURES	Person Capacity Gauge Battery Magneto Instrumentation Lighting	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 × 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature 850-W Lighter type DC outlett 140 W lighting output from four 35-W reflectors ensuring a wide visibility, signature LED and	4.5 in. wide digital display: Speedometer, tachor position, ECO/ECO Off/Work modes, seat b indicators, diagnostics, clock, bal 12-V (30 amp/h) in the console (10-A) and two lighted USB port in 140 W lighting output from four 35-W reflecto	I (40 L) neter, odometer, trip and hour meters, fuel, gear elt and 4 x 4 indicator, front and rear diff lock tery voltage, engine temperature 650-W the dash storage (10-A) rs ensuring a wide visibility and LED tail lights teral support with passenger seats flipping up, ed XT seat skin and contoured bench to improve	Speedometer, tachometer, dometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 x4 indicator, front and rear diff look indicators, diagnostics, clock, battery voltage, engine temperature 12-V (30 amp/h) Two lighter type DC outlets, one in the console (20-A) and one in the under dash storage (20-A) 140 W lighting output from four 35-W reflectors ensuring a wide visibility, signature LED and LED tail lights			
FEATURES	Person Capacity Gauge Battery Magneto Instrumentation Lighting Winch	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature 850-W Lighter type DC outlets 140 W lighting output from four 35-W reflectors ensuring a wide visibility, signature LED and LED tail lights VERSA-PRO bolster bench seats for additional lateral support with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trims and contoured bench to improve	4.5 in. wide digital display: Speedometer, tachor position, ECO/ECO Off/Work modes, seat b indicators, diagnostics, clock, bal 12-V (30 amp/h) in the console (10-A) and two lighted USB port in 140 W lighting output from four 35-W reflecto 4,500-Ib (2,041 kg) winch with roller fairlead VERSA-PRO bolster bench seat for additional li adjustable driver seat, underside hooks, reinforc	I (40 L) neter, odometer, trip and hour meters, fuel, gear elt and 4 x 4 indicator, front and rear diff lock tery voltage, engine temperature 650-W the dash storage (10-A) rs ensuring a wide visibility and LED tail lights teral support with passenger seats flipping up, ed XT seat skin and contoured bench to improve	Speedometer, tachometer, dometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff look indicators, diagnostics, clock, battery voltage, engine temperature 12-V (30 amp/h) Two lighter type DC outlets, one in the console (20-A) and one in the under dash storage (20-A) 140 W lighting output from four 35-W reflectors ensuring a wide visibility, signature LED and LED tall lights Relocated 4,500-1b (2,041 kg) winch with synthetic rope and roller fairlead VERSA-PRO bolster bench seats for additional lateral support, passenger seats flipping up, adjustable driver seat, underside hooks, reinforced seat skin featuring X package trims and contoured bench to improve entrance/exit			
FEATURES	Person Capacity Gauge Battery Magneto Instrumentation Lighting Winch Seat	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature 850-W Lighter type DC outlets 140 W lighting output from four 35-W reflectors ensuring a wide visibility, signature LED and LED tail lights VERSA-PRO bolster bench seats for additional lateral support with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trims and contoured bench to improve	4.5 in. wide digital display: Speedometer, tachor position, ECO/ECO Off/Work modes, seat b indicators, diagnostics, clock, bar 12-V (30 amp/h) in the console (10-A) and two lighted USB port in 140 W lighting output from four 35-W reflecto 4,500-lb (2,041 kg) winch with roller fairlead VERSA-PRO bolster bench seat for additional la adjustable driver seat, underside hooks, reinforc entrance/ex	I(40 L) neter, odometer, trip and hour meters, fuel, gear elt and 4 x 4 indicator, front and rear diff lock tery voltage, engine temperature 650-W the dash storage (10-A) rs ensuring a wide visiblity and LED tail lights teral support with passenger seats flipping up, ed XT seat skin and contoured bench to improve it of the cab	Speedometer, tachometer, dometer, trips and hour meters, fuel, gear position, ECO/ECO Off/ Work modes, seat belt and 4 x 4 indicator, front and rear diff look indicators, diagnostics, clock, battery voltage, engine temperature 12-V (30 amp/h) Two lighter type DC outlets, one in the console (20-A) and one in the under dash storage (20-A) 140 W lighting output from four 35-W reflectors ensuring a wide visibility, signature LED and LED tail lights Relocated 4,500-1b (2,041 kg) winch with synthetic rope and roller fairlead VERSA-PRO bolster bench seats for additional lateral support, passenger seats flipping up, adjustable driver seat, underside hooks, reinforced seat skin featuring X package trims and contoured bench to improve entrance/exit			

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry. 1-year BRP Limited warranty. B.E.S.T. term available up to 30 months.

M	AX	MA	X DPS
Tundra	a Green	Tundra Green Timeless Black Mossy Oak Break-Up Country Camo	Oxford Blue Timeless Black
 HD7	HD9	HD9	HD10
52 hp/41 lb-ft, Rotax ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled	65 hp/59 lb-ft , Rotax 976 cc, V-twin, liquid cooled	65 hp/59 lb-ft , Rotax 976 cc, V-twin, liquid cooled	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled
	Intelligent Throttle Control (iTC) v		
 PDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	PRO-TORQ CVT Transmission with	n Quick Response System (QRS), high airflow ventilation a Extra-L / H / N / R / P	nd Electronic Drive Belt Protection
Selectable Turf Mode/2WD/4WD with	Visco-Lok auto-locking front differential	Selectable Turf Mode/2WD/4WD with V	isco-Lok QE auto-locking front differential
	Electronic Hill Descent Contro		
 N		Dynamic Powe	er Steering (DPS)
	Double A-arm/10 in. (25.4 cm) travel Twin tube gas o	harded shocks	Arched double A-arm/11 in. (27.9 cm) travel
	ernal sway bar	TTA with external sway bar	Arched TTA with external sway bar
 10 in. (25.4	l cm) travel Twin tube gas o	10 in. (25.4 cm) travel harged shocks	11 in. (27.9 cm) travel
 XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in. 14 in. cast-aluminum	XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in. 14 in. cast-aluminum	XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in. 14 in. cast-aluminum	Maxxis Bighorn 2.0 27 x 9 x 14 in. Maxxis Bighorn 2.0 27 x 11 x 14 in. 14 in. cast-aluminum
	Dual 220 mm disc brakes with	hydraulic twin-piston calipers	•
	Dual 220 mm disc brakes with I		
	N, Profiled cage. F		
 1,710 lb (775.6 kg)	1,735 lb (787.1 kg)	1,771 lb (803.2 kg)	1,771.2 lb (803.4 kg)
	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)		153.4 x 64 x 77.5 in. (389.6 x 162.5 x x 196.9 cm)
		(294 cm)	12.5 in. (31.8 cm)
	38 x 54.5 x 12 in. (96	5 x 138.4 x 30.5 cm)	12.5 11. (51.8 611)
	1,000 lb (454 kg)/Californ	ia only: 600 lb (272.2 kg)	
	N,		
	250 lb (1	13.4 kg)	
Under dash (enclosed Dash: 1.8	gal (11.7 L) pocket) : 0.4 gal (1.3 L) gal (6.9 L) olders: 0.9 gal (3.5 L)	Under dash: 6 gal (22.8 L)/Dash: 1.8 ga	gal (42.1 L) al (6.8 L)/Water-resistant and removable ts and cup holders: 1.6 gal (6.1 L)
	2,500 lb	(1134 kg)	
	1,750 lb (
	10.6 ga		
4.5 in. wide digital display: Speedometer, tachomete ECO/ECO Off/Work modes, seat belt, diagnost	r, odometer, trip and hour meters, fuel, gear position, tics, clock, battery voltage, engine temperature	ECO/ECO Off/Work modes, seat belt and 4 x 4 indicat	er, odometer, trip and hour meters, fuel, gear position, or, front and rear diff lock indicators, diagnostics, clock, ngine temperature
	12-V (18	amp/h)	
	650		
	Lighter type DC out	let in console (20-A)	
	140 W lighting output from four 35-W reflecto	rs ensuring a wide visiblity and LED tail lights	
	N,	Ά	
Dual VERS	A-PRO bench seats with passenger seats flipping up, unde	rside hooks and contoured bench to improve entrance/ex	vit of the cab
	Adjustable	tilt steering	
	Integrated from HMWPE cent	t steel bumper ral skid plate	
	2-in. hitch	receiver	

	DEFENDER	МА	ххт	MAX Lone Star		
	COLOR OPTIONS	Oxford Blue Stone Gray Mossy Oak Break-Up Country Camo		Night Black		
		HD9	HD10	HD10		
	Туре	65 hp/59 lb-ft , Rotax 976 cc, V-twin, liquid cooled	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled		
	Fuel Delivery System		Intelligent Throttle Control (iTC) with Electronic Fuel Injection (EFI	0		
ENGINES	Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection. Extra-L / H / N / R / P				
	Drive Train	Selecta	able Turf Mode/2WD/4WD with Visco-Lok QE auto-locking front dif	fferential		
	Driving Assistance		Electronic Hill Descent Control, ECO/ECO Off/Work modes			
	Power Steering		Dynamic Power Steering (DPS)			
<u>s</u>	Front Suspension	Double A-arm/10 in. (25.4 cm) travel	Arched double A-arm/11 in. (27.9 cm) travel	Arched double A-arm with sway bar/10 in. (25.4 cm) travel		
NOISI	Front Shocks		Twin tube gas charged shocks			
SUSPENSIONS	Rear Suspension	TTA with external sway bar 10 in. (25.4 cm) travel	Arched TTA with external sway bar 11 in. (27.9 cm) travel	Arched TTA with external sway bar 10 in. (25.4 cm) travel		
su.	Rear Shocks		Twin tube gas charged shocks			
TIRES/ WHEELS	Front Tires Rear Tires Wheels	XPS Trail Force 27 x 9 x 14 in. XPS Trail Force 27 x 11 x 14 in. 14 in. cast-aluminum	Maxxis Bighorn 2.0 27 x 9 x 14 in. Maxxis Bighorn 2.0 27 x 11 x 14 in. 14 in. cast-aluminum	Maxxis Bighorn 2.0 28 x 9 x 14 in. Maxxis Bighorn 2.0 28 x 11 x 14 in. 14 in. cast-aluminum		
	Front		Dual 220 mm disc brakes with hydraulic twin-piston calipers		·	
BRAKES	Rear		Dual 220 mm disc brakes with hydraulic twin-piston calipers			
B			Brake holding mechanism			
	Cage		Profiled cage. ROPS approved			
	Estimated Dry Weight	1,902 lb (862.7 kg)	1,902.6 lb (863 kg)	1,929 lb (875 kg)		
	LxWxH	158.3 x 63.5 x 76 in. (402 x 161.2 x 193 cm)	158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm)	158.9 x 65 x 79.9 in. (403.6 x 165.1 x 203.1 cm)		
	Wheelbase	115.5 in. (294 cm)				
	Ground Clearance	11 in. (28 cm)	12.5 in. (31.8 cm)	13 in. (33 cm)		
TIES	Cargo Box Dimensions		38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)			
PACI	Cargo Box Capacity	1,000 lb (454 kg)/California only: 600 lb (272.2 kg) 1,000 lb (454 kg)		1,000 lb (454 kg)		
/ CA	Power Tilt Bed	N/A	N/A	N/A		
SNOI	Tailgate Load Capacity		250 lb (113.4 kg)			
DIMENSIONS / CAPACITIES	Storage Capacity	Total: 16.9 gal (63.9 L) Under dash: 6 gal (22.8 L)/Waterproof and removable box under passenger seat: 5.6 gal (21 L) Dash: 2 gal (7.7 L)/Water-resistant and removable toolbox: 1.7 gal (6.3 L) Armrests and cup holders: 1.6 gal (6.1 L)				
	Towing Capacity		2,500 lb (1134 kg)			
	Payload Capacity	1,750 lb	(793,8 kg)	1,730 lb (785 kg)		
	Fuel Capacity		10.6 gal (40 L)			
	Person Capacity		6			
	Gauge	ECO/ECO Off/Work modes, seat belt and 4 x 4 indicator, front	er, odometer, trip and hour meters, fuel, gear position, and rear diff lock indicators, diagnostics, clock, battery voltage, mperature	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/Work modes, seat belt and 4x4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature		
	Battery	12-V (30 amp/h)				
	Magneto	650-W				
	Instrumentation	Lighter type DC outlets in the console (10-A) and two lighted USB port in the dash storage (10-A)				
S.	Lighting	140 W lighting output from four 35-W reflectors ensuring a wide visiblity and LED tail lights 140 W lighting output from four 35-W reflectors ensuring a wide visiblity and LED tail lights				
FEATURES	Winch		4,500-lb (2,041 kg) winch with roller fairlead			
ΕEA	Seat	passenger seats flipping up, adjus	ats for additional lateral support with stable driver seat, underside hooks, sench to improve entrance/exit of the cab	Dual VERSA-PRO bolster bench seats for additional lateral support with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced seat skin featuring Lone Star package trims and contoured bench to improve entrance/exit of the cab		
	Steering Wheel		Adjustable tilt steering			
	Protection	HMWPE fu	t bumper Il skid plate Il hard roof	Heavy-duty front steel bumper HMWPE full skid plate 2-piece full hard roof		
	Hitch Turke		2-in. hitch receiver	Aluminum rock sliders		
	Hitch Type					

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry. 1-year BRP Limited warranty. B.E.S.T. term available up to 30 months.

MAX X mr	6x6 DPS	6x6 XT
Mossy Oak Break-Up Country Camo Liquid Titanium & Magma Red	White Mossy Oak Break-Up Country Camo	Oxford Blue
HD10	HD10	HD10
82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled with strategically positioned engine air intake	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled
Intelligent Throttle Control (iTC) w	ith Electronic Fuel Injection (EFI)	
PRO-TORQ CVT Transmission with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio and high airflow ventilation with strategically positioned CVT air intake and exhaust Extra-L / H / N / R / P	PRO-TORQ CVT Transmission with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P	
Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok* technology.	Selectable 4WD/6WD with Visco-Lo	ok QE auto-locking front differential
Electronic Hill Descent Contro	I, ECO/ECO Off/Work modes	
Dynamic Power	Steering (DPS)	
y bar/10 in. (25.4 cm) travel	Arched double A-arm,	/11 in. (27.9 cm) travel
Twin tube gas cl	harged shocks	
Arched TTA 10 in. (25.4 cm) travel	Arched TTA with 11 in. (27.9	
I	Twin tube gas charged shocks	
ITP Cryptid 30 x 9 x 14 in. ITP Cryptid 30 x 11 x 14 in. 14 in. cast-aluminum	Maxxis Bighorn 2.0 27 x 9 x 14 in. Maxxis Bighorn 2.0 27 x 11 x 14 in. 14 in. cast-aluminum	Maxxis Bighorn 2.0 27 x 9 x 14 in. Maxxis Bighorn 2.0 27 x 11 x 14 in. 14 in. cast-aluminum
ا Dual 220 mm disc brakes with l	hydraulic twin-piston calipers	
Dual 220 mm disc brakes with I	hydraulic twin-piston calipers	
Brake holding mechanism	N/A	Brake holding mechanism
Profiled cage. R	OPS approved	
1,999 lb (907.7 kg)	1,945 lb (882 kg)	2,077 lb (942 kg)
161.9 x 64 x 82 in. (411.2 x 162.6 x 208.3 cm)	154.1 x 64 x 78 (391.5 x 162.5 x 198.1 cm)	159.7 x 64 x 80 (405.7 x 162.5 x 203.3 cm)
	115.5 in. (294 cm)	
15 in. (38.1 cm)	13 in. (33 cm)
x 138.4 x 30.5 cm)	72 x 54.5 x 10 in. (180),3 x 138.4 x 25.4 cm)
1,000 lb (454 kg)/Californ	ia only: 600 lb (272.2 kg)	
N/A	N/A	Hydraulic power tilt bed
250 lb (1	13.4 kg)	
Total: 16.9 gal (63.9 L) Jnder dash: 6 gal (22.8 L)/Waterproof and removable box under passenger seat: 5.6 gal (21 L) Dash: 2 gal (7.7 L)/ Water-resistant and removable toolbox: 1.7 gal (6.3 L)/ Armrests and cup holders: 1.6 gal (6.1 L)	Total: 10.4 gal (39.5 L) Under dash: 6 gal (22.8 L)/Dash: 1.8 gal (6.9 L) Water-resistant and removable toolbox: 1.7 gal (6.3 L) Armrests and cup holders: 0.9 gal (3.5 L)	Total: 16.9 gal (63.9 L) Under dash: 6 gal (22.8 L)/Waterproof and removable box under passenger seat: 5.6 gal (21 L)/Dash: 2 gal (7. L)/Water-resistant and removable toolbox: 1.7 gal (6.3 L)/Armrests and cup holders: 1.6 gal (6.1 L)
34 kg)	3,000 lb (1	
1,630 lb (739 kg)	1,700 lb (771 kg)	1,570 lb (712kg)
10.6 gal	(40 L)	
7.6 in. wide digital display with keypad: Speedometer, achometer, odometer, trips and hour meters, fuel, gear position, ECO/ECO Off/Work modes, seat belt and 4 x4 dicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature	4.5 in. wide digital display: Speedometer, tachometer ECO/ECO Off/Work modes, seat belt and 4 x 4 indicato battery voltage, er	r, odometer, trip and hour meters, fuel, gear position, r, front and rear diff lock indicators, diagnostics, clock,
12-V (30-	amp/h)	
	650-W	
wo lighted USB port in the dash storage (10-A)	Lighter type DC out	let in console (20-A)
ng a wide visiblity, signature LED and LED tail lights	140 W lighting output from four 35-W reflecto	rs ensuring a wide visiblity and LED tail lights
Relocated 4,500-lb (2,041 kg) winch with synthetic rope and roller fairlead	N/A	4,500-lb (2,041 kg) winch with roller fairlead
Dual VERSA-PRO bolster bench seats for additional ateral support, passenger seats flipping up, adjustable driver seat, underside hooks, reinforced seat skin featuring X package trims and contoured bench to improve entrance/exit of the cab	VERSA-PRO bench seat with passenger seats flipping up, underside hooks and contoured bench to improve entrance/exit of the cab	VERSA-PRO bolster bench seats for additional lateral support with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced XT seat skin and contoured bench to improve entrance/exit of the cab
Adjustable t	ilt steering	
Heavy-duty front steel bumper HMWPE full skid plate Aluminum rock sliders Mudquards	Integrated front steel bumper HMWPE central skid plate	XT front bumper HMWPE full skid plate Full hard roof
	HMWPE full skid plate Aluminum rock sliders Mudguards	HMWPE full skid plate Integrated front steel bumper Aluminum rock sliders HMWPE central skid plate

16 | DEFENDER COMPARATIVE CHART

	DEFENDER	PRO DPS	PRO XT	PRO Lone Star	PRO Limited	
	COLOR OPTIONS	White Mossy Oak Break-Up Country Camo	Oxford Blue Timeless Black	Night Black	Oxford Blue Stone Gray	
		HD10	HD10	HD10	HD10	
	Туре	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled	82 hp/69 lb-ft, Rotax 976 cc, V-twin, liquid cooled	
ES	Fuel Delivery System		Intelligent Throttle Control (iTC) v	with Electronic Fuel Injection (EFI)		
ENGINES	Transmission	PRO-TORQ CVT Trans	mission with Quick Response System (QRS), high air	flow ventilation and Electronic Drive Belt Protection	. Extra-L / H / N / R / P	
	Drive Train		Selectable Turf Mode/2WD/4WD with Vis	sco-Lok QE auto-locking front differential		
	Driving Assistance		Electronic Hill Descent Control, ECO/ECO Off/Work modes			
	Power Steering		Dynamic Powe	r Steering (DPS)		
SNS	Front Suspension	Arched double A-arm	/11 in. (27.9 cm) travel	Arched double A-arm with s	way bar/10 in. (25.4 cm) travel	
SUSPENSIONS	Front Shocks		Twin tube gas o	charged shocks		
USPE	Rear Suspension	Arched TTA with external sv	vay bar/11 in. (27.9 cm) travel	Arched TTA with external sv	vay bar/10 in. (25.4 cm) travel	
S	Rear Shocks		Twin tube gas o	charged shocks		
TIRES/ WHEELS	Front Tires Rear Tires Wheels	Maxxis Bighorn 2.0 28 x 9 x 14 in. Maxxis Bighorn 2.0 28 x 11 x 14 in. 14-in. cast-aluminum	Maxxis Bighorn 2.0 28 x 9 x 14 in. Maxxis Bighorn 2.0 28 x 11 x 14 in. 14-in. cast-aluminum	Maxxis Bighorn 2.0 28 x 9 x 14 in. Maxxis Bighorn 2.0 28 x 11 x 14 in. 14-in. cast-aluminum	Maxxis Bighorn 2.0 28 x 9 x 14 in. Maxxis Bighorn 2.0 28 x 11 x 14 in. 14-in. cast-aluminum	
្ល	Front		Dual 220 mm disc brakes with	hydraulic twin-piston calipers		
BRAKES	Rear		Dual 220 mm disc brakes with	hydraulic twin-piston calipers		
		N/A		Brake holding mechanism		
	Cage		Profiled cage. F	ROPS approved		
	Estimated Dry Weight	1,833 lb (831.5 kg)	1,960 lb (889 kg)	1,995 lb (905 kg)	2,360 lb (1,070.5 kg)	
	LxWxH	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)	159.7 x 64 x 80 in. (405.7 x 162.5 x 203.3 cm)	160.6 x 65 x 80 in. (407.2 x 165.1 x 203.3 cm)	159.7 x 65 x 79.5 in. (405.7 x 165.1 x 202.1 cm)	
	Wheelbase		115.5 in. (294 cm)			
	Ground Clearance	13 in. (33 cm) 12.5 in. (31.8 cm)				
ITIES	Cargo Box Dimensions	s 72 x 54.5 x 10 in. (180,3 x 138.4 x 25.4 cm)				
APAC	Cargo Box Capacity		1,000 lb (454 kg)/California only: 600 lb (272.2 kg)			
s / c/	Power Tilt Bed	N/A		Hydraulic power tilt bed		
SION	Tailgate Load Capacity	250 lb (113.4 kg)				
DIMENSIONS / CAPACITIES	Storage Capacity	Total: 94 gal (366 L) Under dash: 6 gal (22.8 L)/Dash: 1.8 gal (6.9 L)/ Water-resistant and removable toolbox: 1.7 gal (6.3 L)/Armrests and cup holders: 0.9 gal (3.5 L)/Lower box storage 83.6 gal (316.5 L)	Total: 100.5 gal (380.4 L) Under dash: 6 gal (22.8 L)/Waterproof and removable box under passenger seat: 5.6 gal (21 L)/Dash: 2 gal (7.7 L) Water-resistant and removable toolbox: 1.7 gal (6.3 L)/Armrests and cup holders: 1.6 gal (6.1 L)/Lower box storage 83.6 gal (316.5 L)			
	Towing Capacity		2,500 lb	-		
	Payload Capacity Fuel Capacity	1,700 lb	(771 kg)	1,650 lb (748 kg) al (40 L)	1,360 lb (617 kg)	
	Person Capacity	3	3	3	3	
	Gauge	4.5 in. wide digital display: Speedometer, tack gear position, ECO/ECO Off/Work modes, sea		7.6 in. wide digital display with keypad: Speec meters, fuel, gear position, ECO/ECO Off/Wor	lometer, tachometer, odometer, trips and hour k modes, seat belt and 4 x 4 indicator, front and bck, battery voltage, engine temperature	
	Battery	12-V (18 amp/h)		12-V (30 amp/h)		
	Magneto		650-W		850-W	
	Instrumentation	Lighter type DC outlet in console (20-A)	Lighter type DC outlets	s in the console (10-A) and two lighted USB port in	the dash storage (10-A)	
	Lighting	140 W lighting output from four 35-W reflecto	rs ensuring a wide visiblity and LED tail lights		rs ensuring a wide visiblity, signature LED and il lights	
(0	Winch	N/A		4,500-lb (2,041 kg) winch with roller fairlead		
FEATURES	Seat	VERSA-PRO bench seat with passenger seats flipping up, underside hooks and contoured bench to improve entrance/exit of the cab	VERSA-PRO bolster bench seats for additional lateral support with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced XT seat skin and contoured bench to improve entrance/exit of the cab	VERSA-PRO bolster bench seats for additional lateral support with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced seat skin featuring Lone Star package trims and contoured bench to improve entrance/exit of the cab	VERSA-PRO bolster bench seats for additional lateral support with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trims and contoured bench to improve entrance/exit of the cab	
	Steering Wheel		Adjustable	tilt steering		
	Protection	Integrated front steel bumper HMWPE central skid plate	XT front bumper HMWPE full skid plate Full hard roof	Heavy-duty front steel bumper HMWPE full skid plate Full hard roof Aluminum rock sliders	XT front bumper/HMWPE full skid plate Full hard roof with liner and interior dome light/Full doors with electric opening windows/3-position full glass tilt up windshield with wiper/washer kit/Rear glass window/Panoramic mirror	
	Hitch Type		2-in. hitch	hreceiver		

1-year BRP Limited warranty. B.E.S.T. term available up to 30 months.

ACCESSORIES

ACCESSORIES

Roofs	20	Lights
Cabs	21	Audio
Windshields & Mirrors	22	Electr
Doors	24	Winch
Rear Wind Protection	25	Seats
Aluminum Skid Plates	26	Perfor
Bumpers & Guards	27	Apach
LinQ®: Easy On, Easy Off Cargo	31	ProM
Cargo & Storage	36	Cover
Racks & Holders	39	Tires

Lights	42
Audio & Communication Systems	45
Electronic Accessories	46
Winches & Hitches	49
Seats	52
Performance	53
Apache Track Systems	56
ProMount Plows	58
Covers & Add-Ons	62
Tires & Rims	62

MAKE ALL WORK LIGHT WORK.

The second second

FIT AND COMPATIBILITY

For us, innovation is a no-brainer. All our accessories work together, right out of the box. So take your pick. Then pick some more.

STYLE AND VISION

We've upped the ante when it comes to accessories. Not just designed to look good, but perform right for real riders. All killer, no filler.

QUALITY AND RELIABILITY

Our Can-Am accessories are made right the first time. And to top it off we threw in a 1-year warranty. You're welcome. Install them yourself or at an authorized dealer.

BRP 1-YEAR LIMITED WARRANTY*

For new Can-Am accessories, genuine parts, and co-branded products sold through BRP. Includes items installed by you or an authorized BRP dealer.




Can-am

*Use other than which the product is designed for will void the product limited warranty. Other exclusions may apply, the warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty. See complete limited warranty or contact your Can-Am Off-Road authorized dealer. Applies only to BRP-made products or co-branded products made by currently accredited BRP partners. Purchased at an authorized BRP dealership/distributor or from a BRP-authorized online store. Unless otherwise stipulated or required by law. This limited warranty does not apply to factory installed accessories. This limited warranty does not apply on Evirrude parts and accessories. This limited warranty active as of March 1, 2016.

ROOFS

	Defender	715002430	2 151 zł
Sport Roof	Defender MAX	715003038	3 567 zł



Provides added protection for rider and passenger from the elements.

Deluxe Sport Roof		Defender	715002511	-	zł
(Not illustrated)		Defender MAX	715003039	-	zł
	and also diminishes noise with	the seal kit and the liners included.	Includes - Sport Roof - Sport Roof Seal Kit - Front Roof Liner - Rear Roof Liner		
Sport Roof Seal Kit		Defender	715003126	167	zł
(Not illustrated)		Defender MAX	715003583	174	zł
	 Necessary when installing indi or when installing the Front and 	vidual cab components with Sport d Rear Roof Liners.	Roof		
		Defender	715003418 · Black	1 532	zł
Bimini Roof with Sun Visor		Defender MAX	715003030 · Black	2 428	zł
		/-resistant polyester. or that allows for storage of rolled-u	in soft top and mounting of Light	Rack	
	 Soft Top comes with a hard vise Quick and easy installation. 	/-resistant polyester. or that allows for storage of rolled-u le for use with soft and rigid full doc		t Rack.	
Front Roof Liner	 Soft Top comes with a hard vise Quick and easy installation. 	or that allows for storage of rolled-u		t Rack.	zł
Front Roof Liner	 Soft Top comes with a hard vise Quick and easy installation. Defender 2 & up: not compatib Vehicle enhancement. Integrates seamlessly with roo Required for installation of roof 	or that allows for storage of rolled-u le for use with soft and rigid full doc Defender, Defender MAX f-mounted light switch. f-mounted lights and audio systems Vindshield Wiper and Washer Kit.	71508226	t Rack.	zł
Front Roof Liner	 Soft Top comes with a hard vise Quick and easy installation. Defender 2 & up: not compatib Vehicle enhancement. Integrates seamlessly with roo Required for installation of roof Allows a better integration of W 	or that allows for storage of rolled-u le for use with soft and rigid full doc Defender, Defender MAX f-mounted light switch. f-mounted lights and audio systems Vindshield Wiper and Washer Kit.	71508226	1 295	

Quick and easy vehicle enhancement.



Allows better integration of other accessories installed on the roof.
Seal Kit necessary when installing with Sport Roof.

bear at neocoodry when metaling with oper the

†Needs to be installed with Sport Roof (715002430). ‡Needs to be installed with Sport Roof (715003038).

CABS

HARD CABS

Cab Enclosure		Defender XT		715006333	28	044 zł
	 Rigid cab enclosure ideal for Deficeme stock with a roof, but also f models with the addition of a roo Offers good driver and passenge elements. Rear Wind Protection Installation required for installation on 2020 I 	its on Base and DPS f. r protection from the Seal Kit (715006705) is	Included: Flip Glass Windshield. Full Doors with Power Windows. Rear Window. Insulation Accustic Kit			
		Defender 2020 and up (except X mr models)		715007269	21	078 zł
Clear Rigid Cab		Defender MAX		715007270	34	692 zł
	Includes: - Front Clear Rigid Doors - Sport Roof - Flip Glass Windshield - Rear Polycarbonate Window					

- Sport Roof Seal Kit

	Defender 715008607			37 663 zł		
Premium Rigid Cab Enclosure	(except X mr models)	715006330 Rear Glass	715006330 Rear Glass Window with Sliding Panel			
	Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.	 Includes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer Kit 	- Full Doors with Power Windows - Rear Glass Window - Thermal Insulation Kit	- Wiper and Powered Windows Cable - Roof Power Cable - Rigid Cab Seal Kit.		

	Defender MAX	715008608		61 157 zł
Premium Rigid Cab Enclosure	(except X mr models)	715006332 Rear Glass	Window with Sliding Panel	58 446 zł
	Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.	 Includes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer Kit 	- Full Doors with Power Windows - Rear Glass Window - Thermal Insulation Kit - Rear Full Doors	- Wiper and Powered Windows Cable - Roof Power Cable - Rigid Cab Seal Kit.

Hybrid Cab Enclosure		Defender	715008063	9 869 z		
(Not illustrated)		Defender MAX	715008064	16 297 z		
	Included:		·			
	- Sport Roof.	- Soft Doors.				
	- Full Windshield - Hardcoated.	- [Rear Polycarbonate Window.			
Cab Insulation Kit				400 -1		
(Not illustrated)		Defender (2019 & prior)	715004911	480 zł		
	Neoprene insulation kit: A must for cold riding conditions.					
	 Helps keep the cold outside the (soft or rigid). 	cabin and the heat inside when	the vehicle is equiped with a c	complete cab enclosure		
	Standard on XT Cab models 201	8 and up.				

WINDSHIELDS & MIRRORS

WINDSHIELDS

Powerflip Windshield		Defender, Defender MAX		715003885	6 833 zł
	 The PowerFlip Windshield is equ cylinders that allow the rider to a opening at the touch of a button. Windshield is made of hardcoate rubber seal contour and a tinted Allows you to quickly adapt to ch adjusting the windshield as you g 	djust the windshield In polycarbonate with a top section. anging conditions by	fully clo and in possib prefere Compa washe	tible with Can-Am roofs and	n from the elements, e number of opening on, visibility and air flo
Flip Glass Windshield		Defender, Defender MAX		715002942	6 434 zł
	 Curved and laminated glass full w in metal frame. Provides excellent optical clarity. Seals firmly against the cage and passenger from the elements wh controlled air flow. 3-position flip can be set at fully o or fully open. 	I protects rider and nile allowing for	located Ideal fo Can be Wiper a	ock-assisted operation and p d at the top of the windshield or muddy conditions. used with Windshield & Washer Kit (715001638). compliant.	
Flip Glass Windshield With Wipe	r & Washer Kit	Defender, Defender MAX		715002441	8 909 zł
	 frame. Provides excellent optical clarity. Seals firmly against the cage and passenger from the elements wh controlled air flow. Flip windshield can be set fully cl according to your preference. Ideal for muddy conditions. 	l protects rider and hile allowing for	 Single Require and Po 	d at the top of the windshield speed wiper with washer flu es Wiper & Power Cable (710 wer Cable (715003094). compliant.	id dispenser.
Windshield Wiper & Washer Kit		Defender, Defender MAX		715001638	3 012 zł
	 An ideal way to keep your windsh riding through mud and water. Includes single-speed wiper, was windshield frame mount. Must be used with the Glass Win Flip Glass Windshield (71500294 Windshield (715003885). 	sher fluid dispenser and dshield (715001303),	Power	es Wiper & Power Windows (Cable (715003094). compliant.	Cable (710004462) an
Wiper & Power Windows Cable (Not illustrated)		Defender, Defender MAX		710004462	323 zł
 Required to install Full Doors with Power Windows (715006331) and/or Windshield Wiper & Necessary if you want to build your own cab enclosure from modular components. 					er Kit (715001638).
Flip Windshield – Hardcoated		Defender, Defender MAX		715002442	4 637 zł
	 High-impact-resistant Makrolon[†] polycarbonate full windshield in Provides excellent optical clarity resistance. Seals firmly against the cage and passenger from the elements wh air flow. 	metal frame. and better abrasion I protects rider and	open. • Gas-sh	ion flip can be set at fully clo ock-assisted operation. or muddy conditions.	sed, ¼ open, or fully

Glass Windshield		Defender, Defender MAX		715001303	4	868	Zł
	 Curved and laminated glass full v Seals firmly against the cage and passenger from the elements wh optical clarity. 	l protects rider and nile providing excellent	(71500 conditi	e used with Windshield 1638) to maintain clear v ions. : compliant.			ə ridi
Full Windshield – Hardcoated		Defender, Defender MAX		715002432	2	937	zł
	 High-impact-resistant Makrolon[†] hardcoated polycarbonate full windshield. Provides excellent optical clarity and better abrasion resistance. Protects driver and passenger from the elements. Quick and easy tool-less installation or removal. 						
Full Windshield		Defender, Defender MAX		715002431	1	931	zł
	 High-impact-resistant durable po full windshield. Formulated to be non-yellowing, cracking with excellent UV resist optical clarity. 	non-crazing, non-		ts driver and passenger and easy tool-less install			
Half Windshield		Defender, Defender MAX		715002433	1	266	zł
	 High-impact-resistant durable por half windshield. Formulated to be non-yellowing, cracking with excellent UV resist optical clarity. Protects driver and passenger free 	non-crazing, non- ance and	 Quick a 	es reverse angle lip to de and easy tool-less install mpatible with Soft Doors	ation or remo		
ProVent Windshield		Defender, Defender MAX		715005276	3	636	zł
	 High-impact-resistant Quantum I polycarbonate full windshield. Optimal performance with Full C Controllable vents to manage air Channels air into the cabin, defor to eliminate air flow. 	ab Enclosure. flow. gs windshield, fully closes	 Provide resista Protec Quick a 	r vents and one upper ve es excellent optical clari nce. ts driver and passenger and easy tool-less install mpatible with wiper kits.	ry and better from the eler ation or remo	abrasioi nents.	
Side Wind Deflectors		Defender, Defender MAX		715005081		891	zł
	 Clear polycarbonate air deflectors mount on each side of the cage. Not compatible with Full Doors. Sold in pairs. Compatible with all windshields. Compatible with all windshields. Can be adjusted at three different positions for cabin air flow control when a full windshield is installed: 1. Outside deflection to reduce cabin air flow and turbulence. 2. Inside deflection to increase air flow in the cabin. 3. Windshield ventilation to reduce fog. 						
Side Mirror		Defender, Defender MAX		715002459		515	zł
	 Molded heavy-duty aluminum mi Stays in place on rough trails. Ball-joint design for steady multi- outstanding vision. Can be used with or without roof, windshield or door 	angle adjustment and	 Fits eit 	road use. herside. dividually.			
Panoramic Center Mirror		Defender, Defender MAX		715003638		428	zł
	 Wide-angle convex mirror. Offers enhanced visibility. Can be used with or without roof 	or windshield and with cab	enclosu	res.			

DOORS

Front Full Doors with Power	Windows	Defender, Defender MA	X 2022	715006331	22 211 zł
	 Made from robust high-density p Offer excellent protection from th 			inge wide opening for e cockpit.	ease of ingress/egress
	 Easy to remove on hot and sunny 	days.	 Power 	window delivers addee	d ventilation.
	 Lockable doors with convenient i 	ntegrated storage areas.	•	atible with all BRP wind	
	 Doors' curved design provides ev 	ven more room.	 Requir 	e Wiper & Power Wind	ows Cable (710004462), Roof

- - Power Cable (715003094) and Seal Kit (715003126).

Rear Full Doors		Defender MAX 2022		715006329	20 713 zł
	 Made from robust high-density p Offer excellent protection from the 		 Rear hinge opens wide for ease of ingress/egress in the cockpit. 		se of ingress/egress
	 Easy to remove on hot and sunny 		•	it window delivers adde	

- Lockable doors with convenient integrated storage areas. Curved design provides even more room.
- Require Front Doors (715006331), Wiper and Power Windows Cables (710004462), Power Cable (715003094) and Sport Roof Seal Kit (715003583).

	Defender (2 doors)	715006314	4 301 zł
Half Doors	Defender MAX (4 doors)	715006316	7 544 zł

- Half doors made of plastic.
 - Metal frame for a higher level of fit and finish and rigidity.
- Rear hinge wide opening for ease of
- ingress/egress in the cockpit.
- Interior pockets and liners for more protection.


		Defender (2 doors)			5 174 zł
Soft Doors		Defender MAX (on models 2021 & u	els 2018	715008059 715006318	5 174 21 5 070 zł
	 Bestop designed soft doors for C Weather-resistant soft doors reir offer good protection from the el Made of heavy-duty UV-resistant resistance to tear and abrasion. Rear hinge wide opening for ease 	forced with steel frame ements. t canvas for excellent	materi Easily i Compa Soft Do require	wn windows made of laminate al for added ventilation. removable on hot sunny days. tible with roofs and mirrors. por Installation Kit (715006238 ed for installation of 2019 & pri der models.	8 / 2X for MAX) is

Front Clear Rigid Doors		Defender, Defender MA and up (except Xmr mod		715006261	16 262 zł
	 Sturdy and compact steel-frame do open field of view. Lower hardcoated polycarbonate f maximizes visibility around your un Upper portion composed of two te windows for unmatched air circula 	transparent panel nit. empered-glass sliding	to rem cabin s • Sealed in all w	ove the stock side prote space. contour allows for imp	
Rear Clear Rigid Doors		Defender MAX 2020 an (except X mr models)	d up	715006262	15 915 zł
	 Sturdy and compact steel-frame do open field of view. Lower hardcoated polycarbonate a maximizes visibility around your ur Upper portion composed of two tee 	transparent panel nit.	to rem cabin s	ove the stock side prote space. contour allows for imp	r optimal safety, allowing you action bar for increased roved rider comfort in all

REAR WIND PROTECTION

Rear Glass Window with Sliding	g Panel	Defender, Defender MAX X mr models)	(except	715007080	3 584 zł
	 Made of high-strength tempered Ideal for preventing backdraft of environments. Sliding panel for enhanced venti Quick and easy installation. 	dust or rain in harsh	installa	, acof (715002430 or 71500 ation. mpatible with Snorkel kit.	
Rear Glass Window		Defender, Defender MAX X mr models)	(except	715007079	2 295 zł
	 Made of high-strength tempered Ideal for preventing backdraft of environments. Quick and easy installation. 	dust or rain in harsh	installa	Roof (715002430 or 71500 ation. mpatible with Snorkel kit.	
Rear Polycarbonate Window		Defender, Defender MAX X mr models)	(except	715007081	1 792 zł
	 High-impact-resistant polycarbo Ideal for preventing backdraft of in harsh environments. Quick and easy installation. 	dust or rain	for inst	Roof (715002430 or 71500 allation. mpatible with Snorkel kit.	
		Defender, Defender MAX (2019 & prior)		715002920	1 093 z
Soft Rear Panel		Defender, Defender MAX (2020 & up)		715006680	1 110 zł
	 Weather-resistant soft rear pane good protection from the elemen Made of heavy-duty UV-resistan excellent resistance to tear and a Tinted window made of laminate vinyl material. 	nts. t canvas for abrasion.	 Installs 	s cold cracking to -22°F (-3 s quick and easily on roll c mpatible with the Bimini F	age.
Rear Wind Screen		Defender, Defender MAX		715002851	469 zł
	Full rear mesh screen reduces w added cabin comfort.			s quick and easily on roll c Can-Am logo at top, to hel	•
Soft Rear Window		Defender, Defender MAX		715003249	549 zł
	 Clear, flexible window made of s Resists cold cracking to -4°F (-20 Blocks windshield backdraft or d entering, for added cabin comformation 	°C). lust and rain from		s quick and easily on roll c Can-Am logo at top, to hel iew.	•

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum ³/16" (4.5 mm) thick.

Ultimate durability High strength		DEFEN	JER, DEFEND	ER MAX	
- ngn suengun	2019 &	PRIOR		2020 & UP	
Offer your Defender the full protection kit or get parts individually	Base, DPS, XT, XT-P, XT Cab 2017 & prior & Hunting Edition	XT Cab 2018-2019, Lone Star Edition & X mr	Base, DPS (HD5 & HD8), XT (HD8) & PRO (HD8)	6x6 (DPS & XT) or Pro (DPS, XT), XT PRO, DPS (HD10), XT (HD10) & XT-P	XT Cab, Hunting Edition, Lone Star Edition, Limited, & X mr
FULL PROTECTION KIT					
ALUMINUM SKID PLATE	715003711	715006977	715006694	715006696	715006979
	(except MAX)	(3up)	(except MAX)	(3up & 6x6)	(3up)
PROTECTION KIT	715003712	715006978	715006695	715006697	715006980
	(MAX only)	(MAX)	(MAX only)	(MAX & PRO)	(MAX)
INDIVIDUAL ALUMINUM SKID PLATES					
 Front A-Arm Protectors Extra underside protection for your vehicle's steering mechanism and suspension (A-Arm). Sold in pairs. Not compatible with Apache Track Systems. 	715008274	715006975	715008274	715008275	715006975
	807 zł	- Zł	807 zł	807 zł	- Zł
 Front Skid Plate Protects the front underside of your vehicle when riding in rough terrain conditions. Adds style to the front of your vehicle. 	715002447	715002447	715002447	715002447	715002447
	999 zł	999 zł	999 zł	999 zł	999 zł
 Central Skid Plate Central skid plate kit includes central and lateral skid plates. Ultra-durable protection for the underside of your vehicle. Makes work easy in more demanding terrain. Must be used with Underbelly Skid Plate Kit. 	715003467 (MAX only) 2 045 zł	715003467 (MAX only) 2 045 zł	715003467 (MAX only) 2 045 zł	715003467 (MAX & PRO only) 2 045 zł	715003467 (MAX only) 2 045 zł
Underbelly Skid Plate Kit Ultra-durable protection for the underside of your vehicle. Makes work easy in more demanding terrain. Kit includes central, lateral and rear skid plates.	715002446	715002446	715007982	715007982	715007982
	3 991 zł	3 991 zł	3 918 zł	3 918 zł	3 918 zł
 (5) Rear A-Arm Protectors Extra underside protection for your vehicle's suspension (A-Arm). Sold in pairs. Not compatible with Apache Track Systems. 	715002445	715006976	715002445	715004388	715006976
	823 zł	- Zł	823 zł	1 207 zł	- Zł

BUMPERS & GUARDS

в	U	М	Р	Е	R	

		Defender, Defender MAX (2019		1 266 zł
Front Bumper		& prior) Defender, Defender MAX (2020 & up)	715002418	1 440 zł
	 Heavy-duty 1.5" (3.8 cm) diameter Provides enhanced protection. Inside and outside anti-corrosion of powder coat finish. 	steel-tube construction. Integrat Require	ed mounting points for lig d to install the Xtreme Fro d the Front Corner Protec	hts. Int Bumper Plates, Front
		Defender, Defender MAX (2019 & prior)†	715003005	1 058 zł
Xtreme Front Bumper Plates		Defender, Defender MAX (2020 & up) [‡]	715005777	1 387 zł
	 Made of high-strength heavy-gaug pads for increased protection. Inside and outside anti-corrosion of powder coat finish. 	tRequire I	additional front-end prote Front Bumper (715002418) fo Front Bumper (715005754) fo	r installation.
		Defender, Defender MAX (2019 & prior)†	715002833	902 zł
Front Corner Protectors		Defender, Defender MAX (2020 & up) [‡]	715005774	954 zł
	 Heavy-duty 1.25" (3.2 cm) diameter construction. Provide enhanced protection for Inside and outside anti-corrosion powder coat finish. 	front corners. <i>†Require</i>	n pairs. e Front Bumper (715002418) i e Front Bumper (715005754) :	

		Defender, Defender MAX (2019 & prior) Defender, Defender MAX (2020 & up)		715002834	2 475 zł
Rancher Front Bumper				715005410	2 677 zł
	 The low front-end protection and pyour vehicle within cattle herds an both the vehicle and the animals. The flat front portion facilitates ge pushing light objects, e.g., closing 	d guard the safety of ntly prodding cattle or	powder <u>Defender</u> • Improve	nd outside anti-corrosion coat finish. <u>; Defender MAX (2020 & t</u> d approach angle. ible with front rack, snow	up)
	 The full frontage coverage extends layer of defense to your headlights 			track kits, winches.	piows,

XT Front Bumper		Defender, Defender MAX & prior)	(2019	715004407	879 zł
	 1.5" (3.8 cm) diameter steel-tube Provides light-duty protection. Inside and outside anti-corrosior with durable powder coat finish. Light-kit compatible. 		• Not co	ard on XT and XT Cab models mpatible with Xtreme Front B r Protectors or LinQ Front Rac	umper Plates, Front
XT-P Front Bumper		Defender, Defender MAX		715006145 · Silver	1 266 zł
	 Heavy-duty 1.5" (3.8 cm) diamete Inside and outside anti-corrosior finish. 		reloca	Support Plate (705206371) is tion at a higher position for ea ions (sold separately).	

- Provides additional front body protection.
- Integrated mount plate for auxiliary light installation.
- Standard on XT-P models.
- Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa.

X mr Front Bumper		Defender, Defender MAX	715006143 · Black	1 417 zł 1 520 zł
	 Heavy-duty 1.5" (3.8 cm) diamete Inside and outside anti-corrosion finish. Provides additional front body pro- Integrated winch support plate for higher position for easier access for auxiliary lights. 	r steel-tube construction. Incluc coating with durable Stand Wincl otection. or winch relocation at a		1 020 21
Cargo Bed Protectors & Tie Rails		Defender 6x6 & PRO models	715005415	1 440 zł
	 Heavy-duty 1.5" (3.8 cm) diamete Reliable cargo box protection and point to secure large loads. 		ned to stay in place when carg	
Rear Bumper		Defender, Defender MAX, Defender 6x6, Defender PRO	715008109	1 197 zł
	 Heavy-duty 1.5" (3.8 cm) diamete integrated tubular design. Increased protection of rear box while allowing normal tailgate fur 	and lower box corner powd	ated steps. and outside anti-corrosion co er-coat finish. red to install Rear Body Side Pi	-
Rear Bumper Adapter (Not illustrated)		Defender 6x6& PRO models	715006060	267 zł
	Required to install the Rear Bump	per on Defender models with the lo	ng box.	
Rear Body Side Protectors		Defender, Defender MAX (except 6x6 & PRO)	715003055	925 zł




- Required to instantific field built			g box.
	Defender, Defender MA> 6x6 & PRO)	(except	715003055
 Heavy-duty 1.5" (3.8 cm) diamete 	r steel-tube construction.	 Compa 	tible with fender flares.
 Reliable cargo box protection. Inside and outside anti-corrosion 		-	ted brush and low-lying l

- Inside and outside anti-corrosion coating with durable powder coat finish.
- w-lying branch deflector.
- Require Rear Bumper for installation.
- Sold in pairs.

Front Body Side Protectors		Defender, Defender MA	Х	715003450	700 zł
	 Heavy-duty 1.25" (3.2 cm) diameter construction. Front side protection for farm, rar applications. Offer complete front body protect Inside and outside anti-corrosion powder coat finish. 	nch and forestry tion.	Front C Rock S	n pairs. re Front Bumper (715002418 or 7 Corner Protectors (715002833 or Slider (715002569 or 715003040 tallation.	r 715005774) and

Front Rancher Body Side Protectors



FENDER FLARES

	Defender (except 6x6 & PRO), Defender MAX	715006821	1 162 zł
	Defender 6x6	715005409	1 648 zł
Fender Flares	Defender PRO	715006001	1 387 zł

- Robust injection-molded polypropylene construction.
- Perfect for keeping mud and debris outside the vehicle.
- Include front and rear extension, and all mounting hardware.
 - Ideal for track equipped vehicles.



Sport Fender Flares	Defender (except 6x6 & PRO), Defender MAX	715003898	1 133 zł



- Sleek fender flares just the right size to reduce mud and debris kick-up from your tires.
- Robust injection-molded polypropylene construction.
- Include front and rear extension, and all mounting hardware.

	- 14		_	
RO		-		I.S.
	U.N.			NO.

Rock Sliders

	1	
Defender (2019 & prior)	715004409 · Black	2 087 zł
Defender MAX (2019 & prior)	715005020 · Black	3 116 zł
Defender (2020 & up)	715006671 · Black	2 087 zł
	715006675 · Manta Green	2 133 zł
	715006672 · Red	2 133 zł
Defender	715006674 · Silver	2 133 zł
(2020 & up)	715006673 · Yellow	2 099 zł
Defender MAX 2020 & Defender PRO	715006721 · Black	3 116 zł

- Heavy-duty rock sliders made of painted 3/16" (5 mm) aluminum
- with an integrated step for elevated cargo box access.
- Protect vehicle's sides and undercarriage against large obstacles.
- Lodge tight up against vehicle body for better clearance from obstacles.
- Not compatible with other rock sliders.
- Sold in pairs.
- Standard on Defender X mr, Defender MAX X mr and Defender XT-P models.

	Defender, Defender 6x6	715002569	1 648 zł
Rock Sliders	Defender MAX, Defender PRO	715003040	1 983 zł

- Protect vehicle's sides and undercarriage against large obstacles.
 - Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Integrated step for easy cargo box access.
- Sold in pairs.

Mud Flaps		Defender, Defender MAX	715003041	700 zł
	 Keep mud and debris out of cargo or vehicles behind you. Add aesthetic appeal to your vehicles and a statement of the statem	·		
	 Made of EPDM rubber. Require Rear Bumper for installat 	tion.		
Res I	 Sold in pairs. 			

S3 FOR CAN-AM				
S3 Front Winch Bumper		Defender, Defender MAX (2019 & prior)	715003779 · Black 715005092 · Sunburst Yellow	3 163 z 3 110 z
	 Made of 1.5" (3.8 cm) diameter st powder coat finish. Specifically developed for mud ri Integrated mounting plates acco Allows higher winch position to a mud. 	• Nor iding enthusiasts. Mo mmodate all winches. Plo avoid winch immersion in • "S3	ded body protection. t compatible with LinQ Front Rack, Rem unting Kit, Super-Duty Plow Push Fram w Pulley. t for Can-Am" branded. nch not included.	
		Defender, Defender MAX (2019	715003782 · Black	3 163 z
S3 Rear Winch Bumper		& prior)	715005123 · Sunburst Yellow	3 163 z
Rear Winch Electrical Harness Not illustrated)	 Integrated mounting plates for w points. Added body protection. 	incries and towing anonor	rness required). for Can-Am" branded. 715004233	
	Required for the installation of a		nper.	971 z
	 Compatible with complete Defer 	nder winch lineup.		5/12
		Defender, Defender 6x6	 715003783 · Black 715005094 · Sunburst Yellow 	2 133 z 2 099 z
		Defender MAX, Defender PRO	715004349 · Black	3 174 z
S3 Nerf Bars		Defender MAX, Defender PRO	715005124 · Sunburst Yellow	3 214 z
	 Made of 1.5" (3.8 cm) diameter st powder coat finish. Specifically developed for mud ri Protect vehicle's lower sides with clearance. 	• Not iding enthusiasts. Rar nout affecting ground Sys	te compatible with Front Body Side Prote compatible with Front Body Side Prote ncher Body Side Protectors and Apache stem. for Can-Am" branded.	

LinQ: EASY ON, EASY OFF CARGO

DEFENDER'S	MOUNTING LOCATION AND REQUIREMENTS			
LinQ ACCESSORIES • No tools needed: Quickly install and remove accessories by hand • Equip your Can-Am for specialized tasks in no time • Sturdy mounting system that holds up to the roughest terrain	Cargo Bed (long box bed LinQ)	LinQ Cargo Rack 715006140	Adventure Roof Rack 715003870 / 715004391	
LinQ ACCESSORIES WITH 16" BASE	 Lower loading capacity that 	nches apart, center-to-center. n the LinQ with 36" base acce rV and SSV vehicles, Can-Am S i-Doo snowmobiles.	ssories.	
LinQ 4.2 Gal Cooler 295100698 • Grey 219400964 • Black		LinQ Base Installation Kit 715008125	No Compatibility	
LinQ Tool Kit 715006829				
LinQ Tool Box 715008111				
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Base Installation Kit		No further requirements	
LinQ 4.5 Gal (17 L) Sport Bag 860202447	715008125	No further requirements		
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)				
LinQ Dry Bag 715008110			No Compatibility	
LinQ ACCESSORIES WITH 36" BASE	 Mount on LinQ racks often Higher loading capacity that Usage is limited to Can-Am 	used by Can-Am ORV vehicles an the LinQ with 16" base acce ORV vehicles.	s. essories.	
LinQ 12 Gal (45 L) Cargo Box 715003879				
LinQ 23 Gal (86 L) Trunk Box 715004923			No further requirements	
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018				
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black 715004698 • Grey	No Compatibility	No further requirements	No Compatibility	
LinQ Premium Storage Bag by OGIO [†] 715002923 • Black 715003248 • Camo				
LinQ Heavy Duty Basket 715001215			No further requirements	
LinQ Low Profile Basket 715004282				
LinQ HOLDERS				
LinQ Gear Grips 715005340	No funther of the	Na further a strike	Side wall installation	
LinQ Tool Holder 715007358	No further requirements	No further requirements	LinQ Adaptors 715003058	

LinQ ACCESSORIES WITH 16" BAS	E		
		715005494 · (10 L)	595 zł
		715007112 · (20 L)	694 zł
LinQ Modular Box	Defender, Defender MAX	715006830 · (30 L)	792 zł
- Allows	s stacking of other modular boxes to always have the right g	gear accessible.	


Defender, Defender MAX

219401110

860202449

254 zł

960 zł



• Can be installed on any LinQ base with a 16" width.

- See table for installation location and requirements.

Thermal Insert For LinQ Modular Box (10 L)



Insulated liner.

- Fits very well in the LinQ Modular Box (10 L).
- Can contain five 473 ml cans or six 355 ml cans.

LinQ Tool Box	Defender, Defender MAX	715004301	752 zł	
High precision injected HDPE construction provides rigidity and durability.				

- 5 Gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ-simple, fast and secure.
- See table for installation location and requirements.

LinQ Tool Kit		Defender, Defender MA	715006829	1 364 zł
	 Includes: Cutter pliers. Long-nose pliers. Locking plier. Ratchet wrench %" drive. 6" ratchet extension. Integrated CVT belt 	- Long-socket 19 mm %" drive - 6pts. - Socket 18 mm %" drive. - Long-socket 17 mm %" drive - 6pts. - Socket 15 mm %" drive. - Socket 13 mm %" drive.	 Socket 8 mm %" drive. Combined wrench 19 mm. Combined wrench 18 mm. Combined wrench 15 mm. Combined wrench 13 mm. Combined wrench 10 mm. 	 Socket torx T40 % drive. Socket torx T30 % drive. Socket torx T20 % drive. Breaker bar % drive. See table for installation location and requirements.
CN (Amining	storage location (belt not included).	- Socket 10 mm 3/8" drive.	- Combined wrench 8 mm.	

			219400964 • Black	1 538 zł
LinQ 4.2 Gal (16 L) Cooler		Defender, Defender MAX	295100698 · Grey	1 602 zł
	• All the benefits of LinO—simple for	at and acoura		

Defender, Defender MAX



- Rotomolded construction for exceptional rigidity and durability.
- · Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).

- Easy one-second on/off tool-less system.

- See table for installation location and requirements.

LinQ SR 5.5 Gal (21 L) Bag

- Semi-rigid expandable bag.
- 5.5 Gal (21 L) capacity.

- See table for installation location and requirements.

LinQ 4.5 Gal (17 L) Sport Bag		Defender, Defender MAX	860202447	827 zł
	 4.5 Gal (17 L) capacity. 			
	Rigid bottom, semi-rigid top.			

- See table for installation location and requirements.

LinQ Dry Bag		Defender, Defender MAX	715008110	995 z
	 Fully waterproof roll-top dry bag LinQ mounted using heavy-duty High capacity storage solution (Bottom foam liner for additional Integrated handle for easy trans Sea-doo: marinized LinQ for salt See table for installation location 	rigid plastic base. 40 L). equipment protection. portation on/off the vehicle. water uses.	our equipment.	
LinQ ACCESSORIES WITH	36" BASE			
LinQ 12 Gal (45 L) Cargo Box		Defender, Defender MAX	715003879	1 185 z
	Holds cargo safely and securely See table for installation location			
LinQ 23 Gal (86 L) Trunk Box		Defender, Defender MAX	715004923	1 550 z
	 Lockable and weather-resistant. Holds cargo safely and securely See table for installation location 	while riding.		
inQ 11.5 Gal (43 L) Audio Carg	o Box	Defender, Defender MAX	715003018	3 521 z
	 Mounts on/off easily to hold/car The Bluetooth enabled receiver 	e up any cab space and allows ea ry cargo safely and securely. and 6.5" (16.5 cm) speakers are s tects your battery by turning the s night riding.	your next ride. asy listening at an average speed. martly concealed and integrated in system off after 10 minutes of inacti	
-inQ 8 Gal (30 L) Cooler Box		Defender, Defender MAX	715004698 · Grey 715004778 · Black	1 931 z
	 Installs without vehicle modifica Rotomolded construction provid Premium-quality foam insulation Integrated, fully-removable com Robust rubber latches keep the Weather-resistant. Convenient drain plug. See table for installation location 	des exceptional rigidity and durat n for optimal ice retention. partment protects food. cover tightly closed.	, pility.	
			715002923 · Black	2 076 z
LinQ Premium Storage Bag by (DGIO	Defender, Defender MAX	715003248 · Mossy Oak Break-Up Country Camo	2 457 z
	 17.2 Gal (65 L) capacity semi-rigi Buckle and elastic closure with a 3-section lid for partial or full acc Inside separators for optimal base 	a rubber seal that protects dust fr cess to your bag.		

LinQ Heavy-Duty Basket		Defender, Defender MAX	715001215	1 185 zł
	 Made of high-strength, low-alloy See table for installation location 			

LinQ Low Profile Basket	Defender, Defender MAX	715004282	902 zł
Low profile, open basket increase	es cargo space.		

- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene.
- See table for installation location and requirements.

	Defender, Defender MAX (except 6x6 and PRO models)	715002464	1 231 zł
LinQ Tailgate Extension	Defender 6x6 & PRO	715005412	1 341 zł

- Adds rear cargo capacity when the tailgate is open.

- Steel-tubing-system-style barrier mounts on top of the bed walls using the easy, tool-less LinQ System.
- · Can be mounted to serve as cargo divider at different locations along the bed wall while preventing larger items from falling off the back.
- Stores neatly out of the way and offers additional cab area protection since it can be mounted upside down on the front bed wall as a mini headache rack.
- Anti-corrosion coating with durable powder coat finish.
- Not compatible with hard rear windows on Defender MAX produced before January 2021.

LinQ Tire Holder		Defender (except 6x6 & PRO models), Defender MAX	715003448	954 zł
	 Cargo box spare-tire holder. 			
	 Heavy-duty steel construction. 			

- Inside and outside anti-corrosion coating with durable powder coat finish.
- · Mounts on top of the bed walls using the easy, tool-less LinQ System.
- Compatible with Bed Wall Extender.
- Uses BRP standard wheel bolt pattern to mount tire (nuts included).
- Accommodates BRP tires up to 28" (wheel not included).
- Quickly allows installation in multiple positions thanks to the LinQ System.

LinQ Cargo Rack		Defender, Defender MAX	715006140	1 729 zł
	 Strong, durable steel rack. 			

- Easy and tool-less installation thanks to the LinQ System.
- Allows the installation of LinQ accessories.
- 2 racks can be installed at the same time.
- Allows multi-level storage on cargo bed, accommodates 5 Gal (19 L) bucket.
 - Helps keep cargo securely in place.
 - Multiple bungee cord and tie-down anchor points.
 - Kit includes LinQ Base.
 - Provides more usable space in the cargo box.
 - · Extends vehicle cargo options.

	Defender, Defender MAX (2019 & prior)	715004312	2 035 zł
LinQ Front Rack	Defender, Defender MAX (2020 & up)	715006064	2 035 zł

- Rugged looking front rack mounts on top of vehicle hood and provides additional storage.
- · Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.

· Inside and outside anti-corrosion coating with durable powder coat finish.

- · Flip-up configuration provides easy access to service area. - Allows the installation of LinQ accessories (especially for use with LinQ Low Profile Basket [715004282]).
 - Kit includes LinQ Base.
 - Multiple bungee cord and tie-down anchor points.
 - Requires Rancher Bumper (715002834/715005410) or Front Bumper (715002418 or 715005754) for installation.
 - A great place to store tools while working in the field.
 - · Allows the installation of LinQ Low Profile Basket.

LinQ Tool Holder		Defender, Defender MAX	715007358	224 zł
	 Suitable for installation ont Loadout Rack. 	ows tools to be stored in any orientatic o the cargo walls, Deluxe Headache R leadache Rack or the Bed Wall Extend	ack, Bed Wall Extender, Adver	
LinQ Gear Grips		Defender, Defender MAX	715005340	497 zł
VV	 Heavy-duty design for carr Quick-release button open Heavy-duty base system be 	provide a custom fit for a variety of iten ying bows, fishing poles, rakes, farm to s grip quickly for easy access to gear. uilt for the toughest adventures. ols a snap by combining the Gear Grips	pols and more.	n) in diameter.
LinQ MOUNTING				
LinQ Adapter		Defender, Defender MAX	715003058	145 zł
LinQ Lock		Defender, Defender MAX	860201968	234 zł
	 Simple way to lock most Line Retrofits most LinQ accessor A cover protects the lock from Not compatible with Tool Hose Pack of one. Comes with two keys. 	ries. m the elements.		
LinQ Base Installation Kit		Defender, Defender MAX	715008125	130 zł
	 Unique mounting fastener Included: 2 LinQ Cargo bas 	usable on any LinQ System accessory ses and hardware.	<i>.</i>	
LinQ Replacement Part		Defender, Defender MAX	715001707	130 zł
	 Unique mounting fastener Tool-less installation and re Sold in pairs. 	usable on any LinQ System accessory amoval.		

CARGO & STORAGE

Loadout Rack		Defender, Defender MAX	715005447	6 365 zł
	 Adjustable height that goes from Modular basket adapts to differe Multiple hooks and holes to han Basket accommodates multiple 	ent cargo with folding front and rear p g items both inside and outside the r Linq positions. e a hanging storage net below the ba	ack.	
Hanging Storage Box Kit		Defender, Defender MAX	715005449	775 zł
	along the sidewall, and outside t Includes Can-Am branded stora	tailored to hold the crates in multiple he box along the side wall.		ck position, inside the box
Can-Am Storage Box (Not illustrated)		Defender, Defender MAX	708303237	70 zł
	 Conventional 13" x 13" plastic st Perforated bottom allows water 	• •	1	
Exterior Cargo Reinforcement F (Not illustrated)	Panel		715006198	287 zł
		de to further support and protect bed ing storage box and/or gun and tool h		
Deluxe Headache Rack	 Recommended use of the Hangi 			
Deluxe Headache Rack	Recommended use of the Hangi Defender 6x6 & PRO). Protects cab components from 6	ng storage box and/or gun and tool h Defender, Defender MAX cargo load. ed in tandem with the Bed Wall Exter	nolder when installed out	side of the bed wall (excep
Deluxe Headache Rack	Recommended use of the Hangi Defender 6x6 & PRO). Protects cab components from 6 Increases box capacity when us Required to install the Bed Wall I	ng storage box and/or gun and tool h Defender, Defender MAX cargo load. ed in tandem with the Bed Wall Exter	nolder when installed out	side of the bed wall (except
	 Recommended use of the Hangi Defender 6x6 & PRO). Protects cab components from 6 Increases box capacity when us Required to install the Bed Wall I Compatible with gear rail. 	Defender, Defender MAX cargo load. ed in tandem with the Bed Wall Extent Extender (715002421). Defender, Defender MAX rs a heavy-duty steel protective line of ain a clear rear view.	nolder when installed out	side of the bed wall (excep 2 076 zł 1 231 zł
	 Recommended use of the Hangi Defender 6x6 & PRO). Protects cab components from of Increases box capacity when us Required to install the Bed Wall I Compatible with gear rail. Full rear roll cage coverage offer and the load in your cargo bed. Compatible with gear rail. Rack's open design helps maintain 	Defender, Defender MAX cargo load. ed in tandem with the Bed Wall Extent Extender (715002421). Defender, Defender MAX rs a heavy-duty steel protective line of ain a clear rear view.	nolder when installed out	side of the bed wall (except 2 076 zł 1 231 zł

- Increases box capacity.
- Quick and easy tool-less modularity.
- Easily removable rear door can be latched open.
- Variable full or half height settings.
- Foldable top panels come off in seconds.
- Requires Deluxe Headache Rack (715002423).

Tonneau Cover		Defender 2018 & up (except Mossy Oak Break-Up Country Camo model), Defender MAX	715008306	1 243 z
santan o	 Fitted to cover all of the items in Prevents splash from entering t Rolls up to the front. Easily removable for quick acce Not compatible with accessorie 	he cargo box. ss.		
Removable Storage Bin		Defender, Defender MAX	715004344	344 z
	 Handy, removable on-dash tooll Provides 1.7 Gal (6.3 L) of storage Water-resistant to ensure your or Standard on all models except E 	contents remain safe and dry.	itical equipment where you	need it.
Removable Storage Bin – Passe	nger	Defender, Defender MAX	715003314	382 z
	 Convenient passenger-side und Polypropylene-injected 3.7 Gal Bin installs and removes in a sna Water-resistant. 	-	andle.	
Driver Underseat Storage Bin		Defender, Defender MAX	715003399	544 z
	 Front opening for quick and eas 	5 L) capacity bin fits securely under y access. Int items, such as ropes, tow straps		t are needed at a
Center Underseat Storage Bin		Defender, Defender MAX	715003446	428 z
	 Polypropylene-injected 2 Gal (8 Watertight design keeps ice and Easy to drain and wash by remo Accessible by lifting center seat 	d drinks cold. ving it with integrated handle.		
Cargo Bed Rails		Defender (except 6x6 & PRO), Defender MAX	715003444	544 z
Cart-arr	 Added cargo box protection. Inside and outside anti-corrosic Heavy-duty 1" (2.5 cm) diameter 	and serve as a tie-down anchor for i	t finish.	
Cargo Bed Net		Defender (except 6x6 & PRO), Defender MAX	715003445	340 z
	 Solid net designed to hook to th Keeps items tightly against the l 	e bottom of the cargo box for secur bed floor.	e and compact confinemen	t of your cargo.


Dash Storage Compartment Net	for Heating System	Defender, Defender MAX (2019 & prior)	715003544	141 zł
	 Perfect for securing items in the To be installed when Lower Das 	e dash storage area. hboard for Heating System is install	ed.	
ower Dashboard for Heating S	/stem	Defender, Defender MAX (2019 & prior)	715003441	382 zł
	passenger to conveniently storeTo be installed when the Defrost	t, Heat & Ventilation System is instal rage Compartment Net for Heating S	led.	
Dash Storage Compartment Net	is	Defender, Defender MAX (except Limited models)	715003129	141 z
	 Perfect for securing items in the Not compatible with Defrost, He Sold in pairs. 			
3ed Tool Box		Defender, Defender MAX	715003028	1 775 zł
	 Rotomolded construction provid Features cup holders and integr 	on weather-resistant tool box design des exceptional rigidity and durabilit rated groove for pipe or 2x4 cutting. Istalling 2 tool boxes in the cargo be able covers and rubber latches.	у.	n).
Soft Storage Bag		Defender, Defender MAX	715003759	786 zł
	 11.8 Gal (45 L) capacity soft carg 3 sections. Weatherproof. 	go bag designed with vehicle's rear i	n mind to maximize potent	tial storage.
Backrest Rear Storage		Defender MAX	715003019	264 z
	 Netting installs easily. Made from polyester that won't Sold in pairs. 	discolor.		
		I		
Storage 2.6 Gal (10 L) Bag		Defender, Defender MAX	269502121	166 zł

RACKS & HOLDERS

Adventure Roof

Rear Accessory Bar		Defender, Defender MAX	715005450	515 zł
<u>B</u>	 Strong accessory bar allowing in Holes for carabiners, duck decoy LinQ anchors allow installation o 	/ hangers or other items.	back.	
		Defender		0.750

f Rack	Defender MAX Loads of up to 75 lb (34 kg).	715004391	3 319 zł
	Loads of up to 40 lb (18 kg).	715003870	2 752 zł



- Built with heavy-duty 1.25" (3.2 cm) diameter steel tubing.
- Modular LinQ support plates allow for installation of most LinQ cargo accessories.
- Integrated mounting points for lights can hold up to 8 pod-type LED lights
- (6 front and 2 back) or a 39" (99 cm) LED bar (front)—see table for compatibility.
- Features anchor points for spare tire attachment.
- Spare Tire Tie-Downs sold separately.
- Add the Cargo Box Net or the Cargo Box Elastic Net to secure and confine your cargo in the rack.
- Not compatible with Bimini Roof.

Spare Tire Ratchet Tie-Downs	Defender, Defender MAX	280000606	161 zł
	and the large second		

- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tires on accessories equipped with integrated spare tire attachment points.
- Adjustable to accommodate most common UTV tire sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tire attachment on Adventure Roof Rack.

LinQ Tool & Gun Holder		Defender, Defender MAX (except 6x6 and PRO models)	715005466	2 382 z	
	• 2-in-1 holding rack can be used b	both on the job or on the hunt.			
	 Includes 5 locations to securely l with gunstock shaped molding a 	hold tools and guns using rubber gri t the bottom.	os and retention straps at the to	op and a rubber ma	
	 Easy to remove, install or reposit 	ion using our simple and secure Lin(Q System.		
	 Can be attached at multiple position 	tions along the cargo bed walls, faci	ng inside or outside the bed.		
Lonary	 Recommended to use with the E 	xterior Cargo Reinforcement Panel (715006198) when installed out	side the bedwall.	
Gun Boot 6.0 [†] Impact by Kolpin [†]		Defender, Defender MAX	715001419	451 z	
,,	Extra room for pistol-grip-type weapons and small bipods.				
	 Easily fits firearms up to 51" (1.3 r 	m) in total length.			
	 Provides ample room for 2.4" (60 	mm) scopes.			
	Hatchback design allows easy access.				
	Snap-close cover with locking capability.				
	 Ergonomically designed handle and molded attachment points for sling. 				
	 Designed to accommodate left- and right-hand bolt-action rifles and shotguns. 				
	Requires Gear Rail and Gun Boot Mount by Kolpin for installation.				
	 Includes removable, shock-abso for superior interior protection. 	rbing foam and nylon Impact liner			
	Compatible for dual mount with additional Gun Boot Mount.				

Gun Boot Mount by Kolpin		Defender, Defender MAX	715001420	451 z
	 Fits one Kolpin Gun Boot 6.0 Implication Lightweight and extremely duration Easily adjustable without the us Offers precision gun angle adjustion Requires Gear Rail for installation 	ble. e of any tools. stability.		
Additional Gun Boot Mount Not illustrated)		Defender, Defender MAX	715001586	723 z
		1	1	
Dual Gun Holder		Defender, Defender MAX	715005265	902 z
		ction. er passenger. able powder coat finish.		
Gear Rail		Defender, Defender MAX (except X mr models)	715003391	1 497 z
Gear Rail Adapter	 Mounts on roll bar. Includes one versatile Gear Rail Requires Deluxe Headache Rac 	yauge extruded anodized black alum Mount by Kolpin. k (715002423), Headache Rack (715 Defender, Defender MAX (except X mr models) ails directly onto the cargo box witho	003873) or Gear Rail Adapter (715 715003392	003392). 862 z
1				
Gear Rail Mount by Kolpin		Defender, Defender MAX	715001422	229 z
	 Accessory bracket for mounting Includes C-clamp and metal mo 	g additional accessories to the Gear and the	Rail.	
		Defender (except XT Cab, X mr	715003133 · Black	786 z
Double Gun Bag		models), Defender MAX (except XT Cab and Limited package)	715003134 · Mossy Oak Break-Up Country	937 z
Can am	 while the thick interior padding Fits perfectly on rear cage, and Design features include a removistorage pockets for hunting gea Solid, quick installation. 	guns are readily accessible from bot vable center pocket that can be mou rr. protection, headache racks and gear	h sides of vehicle. nted on both sides of the bag, and rails.	

Universal Saw Press by Kolpin		Defender, Defender MAX (except X mr models)	715001423	642 zł
	1 5 1 6			
LinQ Gear Grips		Defender, Defender MAX	715001421	399 zł
ŲØ	cm) in diameter. • Heavy-duty design for carrying b • Quick-release button opens grip • Heavy-duty base system built for		and more.	m 1" to 4" (2.5 cm to 10
Fuel Pack Bracket by Kolpin		Defender, Defender MAX	715001427	313 zł
	37.1	or your fuel pack that leaves plenty of and easy removal of fuel pack from backs.	, 0	

LIGHTS

	2 FIND YOUR	3 CHOOSE YOUR LIGHTS				
MOUNT POINT	PLATFORM	10" (25 Cm) Double Stacked LED Bar	15" (38 cm) Double Stacked LED Bar	39" (99 cm) Double Stacked LED Bar	4" (10 cm) Round LED LIGHTS (Sold in pairs)	3.5" (9 cm) LED Lights (Sold in pairs)
Front Bumper Rancher Bumper XT Front Bumper	Defender Defender MAX 2019 & prior	715002933 PLUS 715002454 (Light Power Cable	715002934 PLUS 715002454 (Light Power Cable)	N/A	71500366 71500366 P	5 (4" Round), 5 (3.5" Flood) or 6 (3.5" Spot) LUS ght Power Cable)
X mr Front Bumper (w/o winch) X-TP Front Bumper	Defender Defender MAX 2020 & up	715002933 PLUS 715006034 (Light Power Cable	715002934 PLUS 715006034 (Light Power Cable)	N/A	71500366 71500366 P	5 (4" Round), 5 (3.5" Flood) or 6 (3.5" Spot) LUS ght Power Cable)
Light Rack or Light Bars *Roof Power Cable and Front Roof Liner may not be required if	Defender & Defender MAX (Except XT Cab)	715002933 PLUS 715003094 (Roof Power Cable) & 715003098 (Front Roof Liner)	715002934 PLUS 715003094 (Roof Power Cable) & 715003098 (Front Roof Liner)	715006226 (Light Support Ba PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable) & 715003098 (Front Roof Line	71500366 71500366 Pl 715003094 (R 715003094 (R	5 (4" Round), 5 (3.5" Flood) or 6 (3.5" Spot) .US 30f Power Cable) & ront Roof Liner)
already installed with other accessories.	Defender Defender MAX XT Cab Limited	715002933	715002934	715006226 (Light Support Ba PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable)	71500293 71500366	5 (4" Round), 5 (3.5" Flood) or 6 (3.5" Spot)
Adventure Roof Rack *Roof Power Cable may not be required if already installed with other accessories.	Defender & Defender MAX (Except XT Cab Llmited)	N/A	Front only: 715002934 PLUS 715003417 (Power Cable) & 715003094 (Roof Power Cable) & 715003098 (Front Roof Liner)	Front only: 715004007 PLUS 715005822 (Power Cable) & 715003094 (Roof Power Cab & 715003098 (Front Roof Line	71500293 71500366 Pl 715003417 e) 715003094 (R	or Rear: 5 (4" Round), 5 (3.5" Flood) or 6 (3.5" Spot) LUS (Power Cable) & bof Power Cable) & tront Roof Liner)
	Defender, Defender MAX XT Cab Limited	N/A	Front only: 715002934 PLUS 715003417 (Power Cable)	Front only: 715004007 PLUS 715005822 (Power Cable)	71500293 71500366 71500366	or Rear: 5 (4" Round), 5 (3.5" Flood) or 6 (3.5" Spot) .US (Power Cable)
4 ORDER					I INTERSECTING	
Roof Power Cable (Not illustrated)	Required for insta		efender, Defender MAX		03094 gs power from the batte	213 zł
			efender, Defender MA) prior)		02454	233 zł
Light Kit Power Cable (Not illustrated)		De &	efender, Defender MA) up) atible Can-Am light kits	< (2020 7150	06034	214 zł


• Power cable for installation of compatible Can-Am light kits at front bumper location.

10" (25 cm) Double Stacked LED Light Bar (60 W)	Defender, Defender MAX	715002933	1 453 z
(ERRER)	5,400 LUMENS 0 -20 -20 0 100	200 300 400 500 6	00 700 800 m
Equipped with twelve 5 W Cree LEDs. 5,400 lumens. Packs a big punch for its size. Rugged and waterproof. Can be installed on front bumpers, sport roof and Bimini roof with sun visor.	 Requires light power cable for Lights up to more than 1,500 ft wide on each side. EC compliant. 	installation.	
15" (38 cm) Double Stacked LED Light Bar (90 W)	Defender, Defender MAX	715002934	1 824 z
BREEREE	8,400 LUMENS 0 -20 0 100	200 300 400 500 6	00 700 800 m
Equipped with 18 5 W Cree LEDs. 8,400 lumens. Complements the Light Racks and most bumpers. Rugged and waterproof.	 Lights up to more than 1,900 ft wide on each side. EC compliant. 		
39" (99 cm) Double Stacked LED Light Bar (270 W)	Defender, Defender MAX	715004007	3 572 z
	20 m		
Equipped with 54 5 W Cree LEDs.	24,300 LUMENS 0 -20 0 100 • Not compatible with Full Winds • Compatible on the Adventure F • Lights up to more than 2,900 ft wide on each side	shield, Flip Windshield and Car Roof Rack.	
Equipped with 54 5 W Cree LEDs. 24,300 lumens.	-20 0 100 • Not compatible with Full Winds • Compatible on the Adventure F	shield, Flip Windshield and Car Roof Rack.	n-Am Intrusion Bar.
Equipped with 54 5 W Cree LEDs. 24,300 lumens.	-20 0 100 • Not compatible with Full Winds • Compatible on the Adventure F • Lights up to more than 2,900 ft wide on each side. Defender, Defender MAX 1,800 LUMENS 0 -20	shield, Flip Windshield and Car Roof Rack. (900 m) in front of the vehicle a 715002935	n-Am Intrusion Bar. and around 115 ft (35
Equipped with 54 5 W Cree LEDs. 24,300 lumens. 4" (10 cm) Round LED Lights (2 x 25 W) 25 W LED Spotlights. 1,800 lumens. Rugged and waterproof.	-20 0 100 • Not compatible with Full Winds • Compatible on the Adventure F • Lights up to more than 2,900 ft wide on each side. Defender, Defender MAX 1,800 LUMENS	shield, Flip Windshield and Car Roof Rack. (900 m) in front of the vehicle a	n-Am Intrusion Bar. and around 115 ft (35
 ² Equipped with 54 5 W Cree LEDs. ² 24,300 lumens. 4" (10 cm) Round LED Lights (2 x 25 W) ² 25 W LED Spotlights. ¹,800 lumens. ^R Rugged and waterproof. ¹ Includes basic wiring and switch. 	-20 0 100 • Not compatible with Full Winds • Compatible on the Adventure F • Lights up to more than 2,900 ft wide on each side. Defender, Defender MAX 1,800 LUMENS 0 -20 0 • Can-Am branded grill. • Requires light power cable. • Sold in pairs.	shield, Flip Windshield and Car Roof Rack. (900 m) in front of the vehicle a 715002935	n-Am Intrusion Bar. and around 115 ft (35
 Equipped with 54 5 W Cree LEDs. 24,300 lumens. 4" (10 cm) Round LED Lights (2 x 25 W) 4" (10 cm) Round LED Lights (2 x 25 W) 25 W LED Spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. 3.5" (9 cm) LED Driving Lights (2 x 14 W) W Solume Solution Solut	-20 0 100 • Not compatible with Full Winds • Compatible on the Adventure F • Lights up to more than 2,900 ft wide on each side. Defender, Defender MAX 1,800 LUMENS 0 -20 0 • Can-Am branded grill. • Requires light power cable. • Sold in pairs. • Not EC compliant.	shield, Flip Windshield and Car Roof Rack. (900 m) in front of the vehicle a 715002935 100 715003666	n-Am Intrusion Bar. and around 115 ft (35

3.5" (9 cm) LED Flood Lights (2 >	(14 W)	Defender, Defender MAX	715003665	1 007 zł
		1,260 LUMENS 0 -15 0 15 3	30 45 60 75 90 105 m	-
14 W LED lights producing 1,260 lumer Flood lens for a wide light beam spread plowing or cornering. Suitable for dust Equipped with six high-power LEDs in a ho	l, ideal for working applications like y or foggy riding conditions.	 Features two attachment points rotate to the next channel point Sold in pairs. EC compliant. 		ue to a collision,
Light Support Bar		Defender, Defender MAX	715006226	613 z
	 Mounting Bracket that allows the Low and forward mounting posit Compatible with all windshields, 		htbar (715004007).	
_ight Rack		Defender, Defender MAX	715002456	914 z
Rear Cargo Light	Power Cable, Sport Roof, Deluxe Integrates elegantly and seamle	Sport Roof or Sport Roof for MAX ssly into our roof products.	required for installation.	747 z
	 Powerful 55W H3 illumination fo Convenient in-dash switch. Wiring included. Sport Roof (715002430), Deluxe Not EC compliant. Not compatible with headache reading 	Sport Roof (715002511) or Sport Ro	of for MAX (715003038) is requi	red for installation
RAM [†] LED Spotlight		Defender, Defender MAX (2019 & prior)	710005423	711 z
	 540 lumens LED light (9 watt) he ball and socket system. 	avy-duty spotlight standard-equipp		ber-coated double
Dome Light		Defender, Defender MAX	715002455	405 z
	 LED array integrates perfectly w Wiring included. Can be installed on cage or roof, 			
LED Signature Lights		Defender, Defender MAX (2020 & up)	715006896	962 z
	 The stylish LED set puts the finis Included on Limited and Lone St 	hing touch to your Defender, accer ar models.	ituating its aggressive stance.	

AUDIO & COMMUNICATION SYSTEMS

Can-Am Audio Roof		Defender	715005206	14 447 zł
	 Four 8" speakers, one 280 watt ar Speakers include LED lighting int 	the roof to the vehicle's electronic mplifier, and one weatherproof sour egrated into the grille, designed to eparate day/night lighting themes fo	rce unit supplied by JL Audic uniformly illuminate with an	RGB glow.
Can-Am Audio Roof MAX		Defender MAX	715006879	20 737 zł
	 Six 8" speakers, one 280 watt amp Speakers include LED lighting int 	the roof to the vehicle's electronics plifier, and one weatherproof sourc egrated into the grille, designed to eparate day/night lighting themes f	e unit supplied by JL Audio. uniformly illuminate with an	•
Overhead Audio System				
	iPhone® ready). • Convenient white LED-backlit LC • Stream from any Bluetooth-enabl • Powerful 4x40W amplifier with re • Voice-control of AVRCP-active de • 30 programmable AM/FM statior • Separate RCA audio output and ir • UV-resistant finish / corrosion-res	ed device (smartphone, MP3 playe mote turn-on. wice. ns with auto-store/pre-set scan. nput.	r).	
Complete Overhead Audio Syst	em	Defender, Defender MAX	715002019	4 469 zł
	 Complete with 4 ultra-sturdy outd 	loor speakers (2 front and 2 rear) ar	nd 4 black speaker boxes.	
Overhead FrontAudio System		Defender, Defender MAX	715003095	3 619 zł
	 Complete with 2 ultra-sturdy from 	t outdoor speakers and black speal	ker box.	
Rugged Radios Car-to-Car Syste	em	Defender, Defender MAX	715003440 · US only	- zł
	 Perfect for communicating with friends and family on group rides. Push-to-talk button conveniently mounted on the steering wheel. May be connected with the Rugged Radios Intercom System (with provided adaptor cable). 	This kit includes: - 5-watt V3 Radio: UHF/VHF + FN Power, Includes Belt Clip, Rech battery, 1-3 mile range, NOAA / buttons. - Helmet Speaker / Mic Kit: Clea Mic Cover, Velcro Mount Speal - Harness & Cables: Single Perso Radio Mounting Bracket, Comp	arging Cable, High capacity weather channels, 1-Touch F r Hear Audio Speakers, Full I kers, Quick & Easy Install. on Harness, Driver Coil Cord	, all day lithium-ion M radio, Backlit scree Flex Mic Boom, Cloth



May be synched with the Rugged Radios Car-To-Car System (715003440).

ELECTRONIC ACCESSORIES

Rear View Mirror & Camera Monitor

Defender, Defender MAX

715004905

710005065

Not EC compliant.

```
2 411 zł
```

925 z



- · Fully waterproof rearview camera and monitor kit.
- Multiple camera feeds can be seen with the rearview camera, to see what you need.
- Unit replaces stock rearview mirror (screen is integrated in the unit's replacement rearview mirror).

Camera uses infrared light for night vision capabilities.

Back-up Monitor and Camera Ki	t	Defender, Defender MAX	715003834	3 128 zł		
-	 Fully waterproof rearview camera and monitor kit. 					
	The camera is one of the clearest and sharpest available on the market, with 250,000 pixel image resolution and a 2.1					

- mm lens with 130° viewing angle.
 Features 18 infrared lights that allow up to 50 ft. (15.24 m) visibility in complete darkness, an auto iris sensor that adapts to light intensity changes and an adjustable sunshade.
 7" (17.78 cm) digital TFT LCD color monitor comes with power harness and can support up to two camera inputs.
 The camera can be roof mounted to monitor your cargo load or to see farther behind, and it can be mounted under the cargo box for hitching purpose.
 - Not compatible with Defrost Heat and Ventilation System or HVAC.

Garmin Montana [†] 680t GPS		Defender, Defender MA>	ĸ	715002830	4 307 zł
	 Rugged and waterproof, the Montana 680T is element- proof. 		 Preloaded TOPO maps, plus 1-year BirdsEye Satellite Imagery subscription. 		
	 4" dual-orientation, sunlight-readable touchscreen and glove-friendly touchscreen display to give you vivid colors and high-resolution images. 		 3-axis compass with barometric altimeter. Specific GPS cradle included (vehicle mounting kit required). 		
	 8-megapixel autofocus camera automatically geotags photos. 		 Includes a preloaded map for US. EC compliant. 		
	 Tracks both GPS and GLONASS so positioning and typically faster fit 			npliant. es preloaded European rec	creation map.

Canadian Map for Garmin Montana 680t GPS (Not illustrated)

Defender, Defender MAX

- Additional and readily programmable Canadian basemap for Garmin Montana 680T GPS system.
- Requires Garmin Montana 680T GPS (715002830).

devices.

		Defender (except 6x6), De MAX (2020 & up)	efender	715007096	5 522 -L	
Power Tilt Bed		Defender 6x6		715007204	5 533 zł	
	Powerful cargo box tilter with da Electrical actuated hydraulics fo	0	g system.			
Battery Charger/Maintainer				715005061	- zł	
	Keeps stored lead-acid batteries charged. Auto-voltage detection.					
	 Charges and maintains small batteries. Microprocessor controlled multi-stage charging for added precision, safety and battery life. Automatically detects 6 or 12 volt batteries. Reverse hook-up protection helps protect battery and charger from damage. 		 Press the display button to show the charge progress. Content: 3 amp battery charger, clamp adapter, DC adapter, 24" (61 cm) fused ring leads harness with weather cap, owner's manual. Not EC compliant. 			
Jump Starter				715005062	- zł	
	 4 LED battery indicators for easy level. 	IPX3 water-resistant and enclosed output ports. 4 LED battery indicators for easy read on battery charge level. Compact design, will conveniently fit in your backpack,		 Smart cable provides protection against reverse polarit short circuit, low voltage, high temperature and reverse charging. Built-in LED light (3 modes). 		
	glove box or any other storage c • 2.4A + 1A/5V USB ports for fast	ompartment.	 Content: 300CA jump starter, SA858 smart cable clamp, MC-USB to USB charging cable, travel bag, user manual 			

			715005408	40 z
	 Quickly and easily connect and Included in the Battery Charger Sold individually. 	charge different batteries with your o /Maintainer.	charger.	
Quick Connect Cable with Batter	ry Indicator		715006055	103 z
		charge different batteries with your o constant battery health indication.	charger.	
3-Mode Switch		Defender, Defender MAX	715004445	188 z
		ntly between normal/work/eco mode ensitivity for smoother acceleration a omy.		
RAM GPS Mount			715003325	340 z
	m (DESS) Keys	Defender Defender MAX	715002458	1 101 -
	 Top-security anti-theft protection Encrypted chip technology rest vehicle's electronic ignition sys One vehicle/one code. A vibration/shock-resistant ball ensures a reliable connection. 	tricts access to your - Work tem. but d - Norm -and-socket design that	715002458 rrammable modes: a mode: Limits vehicle spe loes not limit engine torque nal mode: Limits vehicle s 50% torque reduction. prmance mode: No restrict	eed to 40 kph (25 mph) ue. speed to 70 kph (44 mph)
	Top-security anti-theft protection Encrypted chip technology rest vehicle's electronic ignition sys One vehicle/one code. A vibration/shock-resistant ball	on for your vehicle. Iricts access to your tem. - Norm - and-socket design that - 3 prog - Work but d - Norm and f	rammable modes: mode: Limits vehicle spe loes not limit engine torqu nal mode: Limits vehicle s 50% torque reduction.	ue. peed to 70 kph (44 mph)
20-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-	 Top-security anti-theft protection Encrypted chip technology rest vehicle's electronic ignition sys One vehicle/one code. A vibration/shock-resistant ball ensures a reliable connection. 	Defender, Defender MAX (2020 & up)	rammable modes: c mode: Limits vehicle specioes not limit engine torque nal mode: Limits vehicle s 50% torque reduction. prmance mode: No restrice 715003758 715006035	eed to 40 kph (25 mph) ue. peed to 70 kph (44 mph) stions. 1 387 z 1 775 z
Auxiliary Battery Installation Kit	 Top-security anti-theft protection Encrypted chip technology rest vehicle's electronic ignition system One vehicle/one code. A vibration/shock-resistant ball ensures a reliable connection. 	Ab battery for that dual battery setup be in battery isolator that will prevent y be in battery isolator that will prevent y befender, Defender MAX (2019 befender, Defender MAX (2020 be inke a sound system or winch. bely (515176151). hart battery isolator that will prevent y be inke a sound system or winch. bely (515176151). hart battery isolator that will prevent y befender, Defender MAX (2019 befender, Defender MAX (2019 befender, Defender MAX (2019) befender, Defender MAX (2019) befender MAX (2019) befen	rammable modes: rmode: Limits vehicle spe loes not limit engine torque nal mode: Limits vehicle s 50% torque reduction. ormance mode: No restrice 715003758 715006035 that will give you the extra your auxiliary electrical comparison	eed to 40 kph (25 mph) ue. speed to 70 kph (44 mph) ctions. 1 387 z 1 775 z a juice you'll need to pow
Digitally Encoded Security Syste	 Top-security anti-theft protection Encrypted chip technology rest vehicle's electronic ignition system of the vehicle/one code. A vibration/shock-resistant ball ensures a reliable connection. Allows you to add a second 30A auxiliary electrical components Additional battery sold separate Equipped with an integrated smy your starting battery. Kit includes an additional batter Kit brings power source to the or installs into the rear cab firewal Easy plug-in harness included. 	Ab battery for that dual battery setup be in battery isolator that will prevent y be in battery isolator that will prevent y befender, Defender MAX (2019 befender, Defender MAX (2020 be inke a sound system or winch. bely (515176151). hart battery isolator that will prevent y be inke a sound system or winch. bely (515176151). hart battery isolator that will prevent y befender, Defender MAX (2019 befender, Defender MAX (2019 befender, Defender MAX (2019) befender, Defender MAX (2019) befender MAX (2019) befen	rammable modes: rande: Limits vehicle species out limit engine torque nal mode: Limits vehicles 50% torque reduction. T15003758 715006035 that will give you the extra your auxiliary electrical cord g and the battery holder. 715003846 219400510	eed to 40 kph (25 mph) ue. speed to 70 kph (44 mph) ctions. 1 387 z 1 775 z a juice you'll need to pow

Best integrated system on the maspeed and in-dash adjustable ter Adjustable/directional vents. 10 vents specially positioned for l side windows defrosting/deicing Defender, Defender MAX 2020 (exc Defender, Defender MAX (2021 & u Best integrated in-dash system o speeds and adjustable temperatu Adjustable/directional vents can heat at specific areas.	mperature. Once the L better windshield and , foot and hand heat. cept Defender PRO & HD5 models up) on the market with 3 fan Easy		g System and Dash
 Defender, Defender MAX (2021 & u Best integrated in-dash system o speeds and adjustable temperatu Adjustable/directional vents can heat at specific areas. 	up) on the market with 3 fan • Easy	715008093	
 Best integrated in-dash system o speeds and adjustable temperatu Adjustable/directional vents can heat at specific areas. 	on the market with 3 fan • Easy		8 602 zł
 speeds and adjustable temperate Adjustable/directional vents can heat at specific areas. 		-to-service air filter	
 A total of 8 vents specially positic occupant heating. 	be closed to concentrate for th • Dash	Joes the replacement lower he heating system. In Storage Compartment Net immended.	
	Defender, Defender MAX	715003837	2 272 zł
withstand cold conditions while o to your hands.	channeling heat directly • Draw • Heat requirequirequirequirequirequirequirequi	vs a maximum of 45W and 3 ted Accessories Wiring Harr ired on all models except XT ires Heated Accessories Wi	.2A at 13.5V. ness (710005757) is T Cab 2020 & up, which
	Defender (2019 & prior)	715005108	218 zł
	1		
	Defender, Defender MAX	715003835	1 191 zł
 Easy to install and remove. This kit includes the heated grab Heated Accessories Wiring Harn 	bar cover and in-dash switch. hess (710005757) is required on all	I models except XT Cab 202	0 & up, which requires
	Defender, Defender MAX	715006112	648 zł
 Hi/low temperature settings allow desired degree of warmth. This kit includes one carbon fiber and in-dash switch. 	w you to control the requine the requine term of the requine term of the requine term of the requine term of the requined term of term	ired for installation on front ted Accessories Wiring Harr ired for installation on Defer lels. ted Accessories Wiring Harr	seat. ness (715006036) is nder XT Cab and Limited ness (715006004) is
odel	Defender MAX	715006004	914 zł
 Electric harness required to hook 			0142
	Defender, Defender MAX	715001246	283 zł
	le to maintain your agility.		
Defender, Defender MAX (Models with defrost, heat & ventile Defender, Defender MAX	ation system)	715006036	902 zł
· · · ·	 withstand cold conditions while of to your hands. Perfect for making hand mobility e.g., hunting, manual farming. Replaces stock steering wheel. Allows you to get higher heating and the stress securely gripped during long cold. Easy to install and remove. This kit includes the heated grab Heated Accessories Wiring Harm Heated Accessories Wiring Harm Heated Accessories Wiring and degree of warmth. This kit includes one carbon fiber and in-dash switch. Installs directly in the original seatodel Electric harness required to hool Strategically positioned on vehic Optional visor outlet that delivers Quick and easy installation. Sold individually. 	 withstand cold conditions while channeling heat directly to your hands. Perfect for making hand mobility and grip readily available, e.g., hunting, manual farming. Replaces stock steering wheel. Defender (2019 & prior) Allows you to get higher heating temperature out of the Defrost, He Defender, Defender MAX Made tough to hold up to the stresses of rough riding, this heated of securely gripped during long cold outings. Easy to install and remove. This kit includes the heated grab bar cover and in-dash switch. Heated Accessories Wiring Harness (710005757) is required on all Heated Accessories Wiring Harness (710006036). Defender, Defender MAX 25W seat heater delivers chill-free riding comfort. Hi/low temperature settings allow you to control the desired degree of warmth. This kit includes one carbon fiber seat heater, foam sheet and in-dash switch. Installs directly in the original seat cushion. Heat Strategically positioned on vehicle to maintain your agility. Optional visor outlet that delivers fog-free riding. Quick and easy installation. Sold individually. 	with fistand cold conditions while channeling heat directly to your hands. • Draws a maximum of 45W and 3 • Perfect for making hand mobility and grip readily available, e.g., hunting, manual farming. • Draws a maximum of 45W and 3 • Replaces stock steering wheel. • Defender (2019 & prior) 715005108 • Allows you to get higher heating temperature out of the Defrost, Heat & Ventilation System in e 715005108 • Allows you to get higher heating temperature out of the Defrost, Heat & Ventilation System in e 715003835 • Made tough to hold up to the stresses of rough riding, this heated cover will keep your passeng securely gripped during long cold outings. Tist includes the heated grab bar cover and in-dash switch. • Heated Accessories Wiring Harress (710005757) is required on all models except XT Cab 2021 Pefender, Defender MAX 715006112 • Z5W seat heater delivers chill-free riding comfort. • Heated Accessories Wiring Harress (710006036). • Heated Accessories Wiring Harr required for installation on front edsired degree of warmth. • Heated Accessories Wiring Harr required for installation on Defermodels. • Installs directly in the original seat cushion. • Heated Accessories Wiring Harr required for installation on rears sodel Defender MAX 71500604 • Leated Accessories Wiring Harr required for installation on rears so dell performed mAX 71500604 • Heated Accessories Wiring Harr required for installation on rears so dell performed mAX

• Requires Powertilt bed for Defender 6x6 and PRO.

• Not EC compliant.

WINCHES & HITCHES

WARN[†] VRX WINCHES

6

Can-Am HD 4500 Winch		Defender, Defender MAX	(715006416	1 598 zł
	 Ergonomic clutch handle. Rugged all-steel gears and bushing durability. Automatic 100% load-holding brake Sealed solenoid for all-weather pro Weather sealed corded remote and EC compliant. 	e. tection.	• 43' of ¹⁵ ⁄6 • Heavy-d • Winch E	trength capability of 4,500 lb («" (13.1 m of 6.3 mm) wire stee uty 4-way roller fairlead. ectrical Harness (715008152) on on Base and DPS models.	l cable.
Can-Am HD 4500-S Winch		Defender, Defender MAX	(715006417	2 170 z
	 Ergonomic clutch handle. Rugged all-steel gears and bushings for more torque and durability. Automatic 100% load-holding brake. Sealed solenoid for all-weather protection. Weather sealed corded remote and dash mounted switch. 		• 50' of ½ • Corros	ling strength capability of 4,500 lb (2,041 kg). of ¼" (15.2 m of 6.35 mm) synthetic rope. rrosion-proof aluminum hawse fairlead. hch Electrical Harness (715008152) is required for tallation on Base and DPS models.	

WARN VRX 45 Winch		Defender, Defender MAX	<	715006110	2 716 zł
	 Extreme IP68-rated waterproof s elements out. Durable all-metal construction. Black powder-coated finish and s for corrosion resistance. Robust new clutch design based Warn 4 WD hub lock know-how. Load-holding brake for great con Smooth and reliable all-metal thr train. 	stainless steel fasteners I on 70+ years of ntrol.	 Limited (electri Pulling 50' of ½ Roller f 	strength capability of 4,500 lb (4" (15 m of 6.3 mm) wire steel ca fairlead. electrical harness (715008152)	2,041 kg). ble.
WARN VRX 45-S Winch		Defender, Defender MAX	<	715006111	3 236 zł
	 Extreme IP68-rated waterproof s elements out. Durable all-metal construction. Black powder-coated finish and s for corrosion resistance. Robust new clutch design based Warn 4 WD hub lock know-how. Load-holding brake for great con Smooth and reliable all-metal thr train. 	stainless steel fasteners I on 70+ years of ntrol.	 Limited (electri Pulling 50' of ½ Cast al 	strength capability of 4,500 lb (4" (15 m of 6.3 mm) synthetic rop uminum hawse fairlead. electrical harness (715008152)	2,041 kg). be.
Cargo Bed Winch		Defender, Defender MAX	K	715006355	3 249 zł
	 Allows you to pull heavy loads ini Perfect for hunting applications, Includes support base made of h tubing, winch and weather-seale 750 lb (340 kg) maximum pulling 	i.e., loading game. neavy-duty 2" (5 cm) steel ed corded remote.	could o gross v • Adapte Rail Ad	onic security module to prevent occur if loaded vehicle exceeds weight rating. er Kit (715004709) required for ir lapter. es Powertilt bed for Defender 6	manufacturer's

Synthetic Winch Cable*		With Warn winch	705015070	827 zł	
		mm) synthetic cable for Warn winch.			
		required when upgrading to a synthetic amoffroad.com for price details.	cable to avoid damage and pre	mature wear of the cabl	
Synthetic Winch Cable*		With Can-Am HD winch	715006430	648 zł	
	,	mm) synthetic cable for Can-Am HD wir 6426) required when upgrading to a synt		cable damage and wear	
	*Ask your dealer or visit cana	amoffroad.com for price details.			
Synthetic Cable Extension			715001120	827 zł	
		n) diameter, easy to handle and won't ra n cable to provide additional 50' (15.2 m) e line capacity.	-		
Replacement Wire Rope*		With Warn winch	715006699	405 zł	
	• 55' of ¼" (16.8 m of 6.35 mm) wire rope for Warn winch kit. • 4,500 lb (2,041 kg) pulling strength.				
	*Ask your dealer or visit cana	amoffroad.com for price details.			
Replacement Wire Rope*		With Can-Am HD winch	705014978	95 zł	
	■ 43' of ¹⁵ ⁄64" (13.1 m of 6.3 ■ 4,500 lb (2,041 kg) pullin		·		
		amoffroad.com for price details.			
Warn Hawse Fairlead*		With Warn winch	705208797	544 zł	
WARN/	 Double-powder-coated Required to use the Syn To be used with synthet 	thetic Winch Cable (705015070) on War	n winches.		
Can-Am HD Hawse Fairlead		With Can-Am HD winch	715006426	220 zł	
		your winch with a synthetic cable, this a corner of a roller fairlead and from wea netic cables only.			

Roller Fairlead	With Can-Am HD winch	710007082	237 zł	
Suggested when cha	nging the wire rope.			
Heavy-duty replacen	 Heavy-duty replacement fairlead for winches. 			

Multimount Winch Harness	Defender	710004869	283 zł		
(Not illustrated)	Defender MAX, Defender 6x6	710005082	492 zł		
Converts Removable Winch Mounting Kit into a practical multimount winch kit.					

		With Can-Am HD winch	715008121	139 zł
Vired Remote Control		With Warn winch	710001002	293 z
	 Works in conjunction with the mi 	ndd the hand-held remote to vehicles ni-rocker switch. socket are included with Can-Am HE		
Vireless Remote Control		With Warn winch (Defender 2019 & prior)	715002542	1 047 z
	mounting hardware.	nstall, thanks to a wiring harness wit n from anywhere within a 50' (15.2 m of.	-	
Drop Tow Bar		Defender, Defender MAX	715002521	544 z
	 Sturdy 2" (5 cm) ball-less tow bar Conveniently set at standard traii Requires Higher Front Receiver H 	lering height.		
Removable Winch Mounting Kit		Defender, Defender MAX (except Limited models)	715001652	1 746 z
	 Use in combination with the Multithe rear of the vehicle. Not compatible for use with the L Requires Higher Front Receiver H 		nd conveniently relocate	a front-mounted winch to
ower Front Receiver Hitch		Defender, Defender MAX	715002519	544 z
		ing capacity 2" (5 cm) receiver hitch. ty by pairing it with Higher Front Rec standard mounting position).		ble Winch Mounting Kit
ligher Front Receiver Hitch		Defender, Defender MAX (except Limited models)	715003109	544 z
	 Heavy-duty 1,500 lb (680 kg) tow No need to relocate winch from i 	ing capacity 2" (5 cm) receiver hitch. ts standard mounting position.		
		Defender, Defender MAX (2019 & prior)	715003093	287 z
Vinch Electrical Harness		Defender, Defender MAX (2020 & 2021)	715007078	584 z
Not illustrated)		Defender, Defender MAX 2022	715008152	538 z
	 Required to install a winch on a D 	Defender without a factory-installed	winch.	
Rubber Receiver Plug			705204503	58 z

SEATS

Central Headrest		Defender, Defender MAX	715005163	723 zł		
	Front Headrests are available se	 Headrest for front-center-seating position on 3-seated models and for rear-center-seating position on MAX models. Front Headrests are available separately for front passengers on MAX models. Headrests are required for all passengers on some regulated trails. Not EC compliant. 				
a 7	T Headrests are required for all passeng	gers on some regulated trails.				
Front Headrests		Defender MAX	715005164	1 110 zł		
	 Additional headrest for all three Central Headrest is available sep for rear-center-seating positions Headrests are required for all pa on some regulated trails. Not EC compliant. 	parately on MAX models.	nodels.			
	Headrests are required for all passeng	Headrests are required for all passengers on some regulated trails.				
		715004363 · Black/Can-Am Re		m Red		
X mr / XT-P Bolster Seats		Defender, Defender MAX	715004678 · Black/Brown	1 4 400 zł		
	 Bolster seat upgrade gives occu Features added side padding an Reinforced seat skin. Compatible with rear seat on M/ Not compatible with Heated Sea Standard on Defender X mr and 	d redesigned profile to help you AX models. It Covers.	•	e vehicle to the fulle		
Adjustable Driver's Seat		Defender, Defender MAX	715005519	1 648 zł		
	 Driver seat upgrade that delivers facilitated ingress/egress. Standard feature on XT, XT Cab. 			sed comfort and		

PERFORMANCE

		Contact your authorized dealer or visit our online store at	715003784 · Black	2 052 zł		
S3 Front High Clearance A-Arm		or visit our online store at can-amoffroad.com	715005116 · Sunburst Yellow	1 949 zł		
A COL		ugh terrain. d turning radius without reducing po D LT Track System and Front A-Arm F				
		Contact your authorized dealer or visit our online store at	715003785 · Black	2 052 zł		
3 Rear High Clearance A-Arm		can-amoffroad.com	715005118 · Sunburst Yellow	1 983 zł		
THE REAL PROPERTY AND IN THE PROPERTY AND INTERPOPERTY AND		ugh terrain. d turning radius without reducing po) LT Track System and Rear A-Arm P				
Brake Holding Mechanism		Defender, Defender MAX	715004733	769 zł		
Heavy-Duty Spring Kit	clearing. Complete kit of 4 springs.		715005084 /y demand: heavy loading and hauling mr models and Defender MAX.	1 474 zł		
		Defender (2018 & prior, Base, DPS & XT models only)	715002450	786 zł		
Front Heavy-Duty Springs		Defender MAX (2018 & prior, Base, DPS & XT models only)	715004280	891 zł		
COLLINM COLLINM	This set of heavy-duty springs will stiffen your suspension. Perfect for reducing vehicle sag on heavy jobs like snow clearing or heavy load hauling. Sold in pairs.					
350 W Magneto Kit		Defender, Defender MAX (2020 & up)	715007122	3 342 zł		
	 Increases the magneto output to Includes rotor, stator and regulat 					

			715006102 · US only	665 zł	
Emergency Kit		Defender, Defender MAX	715006103 · CA only	705 zł	
		it provides all essential equipment and sup can find themselves in.	pplies to get out of most unfavoral	ole situations	
	 Includes: Jumper Cable (1,500 kg), Zip-Ties, Clot 	s, Air Compressor, Tire Repair Kit, First Aic h Rags.	l Kit, Ratchet Tie-Down, Duct Tap	e, Tow Strap 3,300	
SMART-LOK TECHNOLI	DGY				

- Can-Am-exclusive Smart-Lok technology constitutes a true full lockable on-the-fly front differential with electronically controlled automatic modes.
- Choose your differential settings according to your riding need: "2x4" for rear wheel traction only, "4x4 Front Diff Lock" for a fully locked 4 wheel drive, and "4x4 Smart Modes" that offer preset, intelligent calibrations for your type of riding.
- Using multiple input sources, "Smart Modes" will instantaneously engage locking with the right load at the right moment to procure maximum traction while retaining low-speed maneuverability, allowing for optimal placement and a
 - feeling of confidence.
- The Smart-Lok Kit comes standard with the Trail Mode.
- Requires Performance Half Shafts (2x) and Front Differential Kit for installation.

Smart-Lok Installation Kit (Not illustrated)	Defender, Defender MAX (2018 & prior)	715005331	1 885 zł
	Defender, Defender MAX 2019	715005332	1 000 21
 Includes all ne 	cessary hardware and wiring for Smart-Lok Differentia	al installation.	
	Defender and Defender MAX (2019 & prior -except X mr, XT-P and XT CAB 2018 & up)	705402353	1 000 -1
Performance Half Shaft	Defender, Defender MAX XT Cab 2018-2019, Lone Star Edition 2019 & prior	705402458	1 000 zł
 High-performa desert riding. 	ance design ideal for off-road use, with superior wheel	power and acceleration	for racing, dunes and



• Includes CVs, Shaft and Boots with the best suited geometry for your Can-Am vehicle.

Mud Smart Mode Module (Not illustrated)		Models with Smart-Lok Differential	715005282	798 zł		
	 These modules allow you to add th Differential Kit. 	e Mud, Rock or Trail Activ Smart M	ode to vehicles equipped wit	h the Smart-Lok		
	 Designed to deliver superior traction in the deepest mud holes. 					
	 When high engine torque and/or s 	lippage is detected, Smart-Lok will	fully lock the front end.			
	 The system will stay locked until th 	rottle release.				
	 Only one Smart Mode Module can 	be installed at a time.				
Rock Smart Mode Module (Not illustrated)		Models with Smart-Lok Differential	715005283	798 zł		
	These modules allow you to add the Mud, Rock or Trail Activ Smart Mode to vehicles equipped with the Smart-Lok Differential Kit.					
	Designed to help cross challenging rocks.					
	 When high engine torque is detected at low vehicle speed, Smart-Lok will progressively lock the front end and will stay engaged until throttle release to prevent wheel slippage and provide optimal traction. 					
	engaged until unottie release to pi	revent wheel slippage and provide of	optimal traction.	ont end and will stay		
	 The progressive engagement allow 	11 0 1		ont end and will stay		
	0 0 1	vs for easier steering when maneuv		ont end and will stay		
Trail Activ Smart Mode Module (Not illustrated)	 The progressive engagement allow 	vs for easier steering when maneuv		798 zł		
	 The progressive engagement allow 	ws for easier steering when maneur be installed at a time. Models with Smart-Lok Differential	vering the vehicle.	798 zł		
	The progressive engagement allow Only one Smart Mode Module can These modules allow you to add the you to a	ws for easier steering when maneur be installed at a time. Models with Smart-Lok Differential e Mud, Rock or Trail Activ Smart M	vering the vehicle. 715005284 ode to vehicles equipped wit	798 zł		
	The progressive engagement allow Only one Smart Mode Module can These modules allow you to add th Differential Kit. Designed for aggressive riding del When high engine torque and/or a	ws for easier steering when maneur be installed at a time. Models with Smart-Lok Differential le Mud, Rock or Trail Activ Smart M ivering the ultimate cornering prec	vering the vehicle. 715005284 ode to vehicles equipped wit ision. eted, Smart-Lok will progress	798 zł h the Smart-Lok		
	The progressive engagement allow Only one Smart Mode Module can These modules allow you to add th Differential Kit. Designed for aggressive riding del When high engine torque and/or a	vs for easier steering when maneur be installed at a time. Models with Smart-Lok Differential e Mud, Rock or Trail Activ Smart M ivering the ultimate cornering prec n increase in vehicle speed is detect throttle release or vehicle speed red	vering the vehicle. 715005284 ode to vehicles equipped wit ision. ted, Smart-Lok will progress duction.	798 zł h the Smart-Lok		

Snorkel Kit		Defender, Defender MAX (except Defender HD5 and Defender PRO)	715003727	3 295 zł		
	 Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water/mud without taking in the engine. Not compatible with Headache Racks, Gear Rail equipment, DragonFire Cargo Bed Roll Bar and Windshield W Washer Kit. Snorkel Extension Kit is available for roof level air intake and CVT exhaust. Adapter for Snorkel Kit (715004414) and Sealed Air Box (707800714) are required for installation on 2017 and models. Standard on Defender X mr models. 					
Snorkel Extensions		Defender, Defender MAX	715004415	1 110 z		
	conditions.	le and help keep your intakes clear Is and windows, Rear Cargo Light a		-		
Adapter for Snorkel Kit (Not illustrated)		Defender and Defender MAX 2017 & prior	715004414	480 zł		
	 Required for the installation of Snorkel Kit (715003727) on Defender 2017 and prior models. Includes rear firewall for Snorkel Kit and hardware. Standard on Defender 2018 and up models. 					
Sealed Air Box Not illustrated)		Defender, Defender MAX 2017 & prior	707800714	809 z		
	 Required when installing the Snorkel Kit (715003727) on Defender and Defender MAX 2017 and prior models. Standard on Defender 2018 and up models. 					
Snorkel Pre-FILTER		Defender, Defender MAX (except Defender PRO)	715005597	411 zł		
	 Pre-filter specifically for snorkels Adds extra protection to your eng Helps keep air filter cleaner. Filter blocks particles larger than Necessary to maintain vehicle was 	jine in harsh riding conditions. 0.005" (0.13 mm).				
CVT Air Intake Pre-Filter		Defender (except X mr models), Defender MAX	715003483	209 z		
	Adds extra protection to your eng Helps keep air filter cleaner. Filter blocks particles larger than Easy, tool-less installation.	_	·			
	 Necessary to maintain vehicle was required to install the Apache and Not compatible with Snorkel kit. 					

• The best choice for the harshest conditions.

- Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow.
- Washable and reusable.

CVT Air Intake Relocation Kit		Defender (except HD5 motorization, X mr and PRO models), Defender MAX	715004183	239 zł
	 Relocates the CVT air intake prot Keeps the CVT air intake away fro Highly recommended for track-eo Not compatible with Snorkel kit. 	om snow splashing from wheels or	tracks.	

APACHE TRACK SYSTEMS

Apache BackCountry LT track kit		Defender, Defender MAX (except 6x6)		715005891	36	400 z
	 Tracks designed to deliver the be the market with unmatched flotar and traction on snow surface. Large contact patch, 37% bigger Impressive added ground clearar keep the vehicle over the snow. Lightweight snowmobile-inspired 	tion level than the Apache 360 LT. nce of 6.4" (16 cm) helps	maxim • Apach and En • Fine-tu Sliders	sive track design with 2" (5 cr um traction on snow. e Backcountry LT Mounting K gine & CVT Pre-Filter are requ ne your track system using ex with Vespel Inserts and Rail I tter use only.	it, Track D uired. ttra Idler \)PS Modu Wheels,
				715005888	3	418 z
Apache Backcountry LT mount ki	t			715005493	3	060 z
(Not illustrated)				715006196	3	788 z
Rail Ice Scratchers	and sold separately. • See table for fit, compatibility and	Apache Backcountry Track System	separa	tely.		- z
	 Provide additional lubrication in h Rail mounted, small, light. Design expands on coil concept t Easily stored when not in use. 	-		lider life.		
Extra Wheel Kit		Apache Backcountry LT Wheel kit		715006293		526 z
	Additional wheel kit for Backcour Reduces drag and rolling resistar	nce in hard snow condition	s or wher	h transporting heavier loads.		

- Extends slider life in hard snow conditions.
- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

APACHE BACKCOUNTRY LT FITTING GUIDE						
Model Year	Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2019 & Prior	Defender Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P		715005888			
2019 & Prior	Defender XT Cab 2018-2019, Lone Star Edition & X mr	715005891	715006196		715003483 715004183 (except X mr)	715005597 (and X mr)
2020 & up	Defender Base, DPS (HD5 & HD8), XT(HD8)		5005891 715005888 715007338	715007338		
2020 & up	Defender DPS (HD10), XT(HD10), XT-P, PRO DPS, PRO XT		715005493			
2020 & up	Defender XT cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star		715006196			

Apache 360 LT track system		Defender, Defender MAX (except 6x6)	71	5005103	27 373 z
	 Multifunctional tracks designed and to fit on most Can-Am Off-Ro Extra contact patch adjustment f over rough terrain. Contact patch is 7 to 9% bigger the second sec	ad vehicles. or better performance	(2.5 cm) lug	s in the front and 1 LT Mounting Kit is	rease of 4.5" (11.44 cm).1" 25" (3.2 cm) in the back. required.
			71	5004832	2 623 z
Apache 360 LT Mounting Kit			71	5004831	2 477 z
(Not illustrated)			71	5005492	3 205 z
	 Required to install Apache 360 L DPS module and engine Pre-Filte and sold separately. See table for fit, compatibility and 	er are required	track-equip	ped 2020 & up Def	iti is MANDATORY for ender models HD10 and models. This kit is sold
Track DPS Module			71	5007338	463 z
	An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.				
	a dok obila ol alla hallig odoo.				

APACHE 360 LT F	TTING GUIDE					
Model Year	Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2019 & Prior	Defender Base, DPS, XT, XT Cab 2017 & Hunting Edition		715004831			
2019 & Prior	Defender XT Cab 2018-2019, Lone Star Edition & X mr		715004832			
2020 & up	Defender Base, DPS (HD5 & HD8), XT(HD8)	715005103	715004831	715007338	715003483 715004183 (except X mr)	715005597 (and X mr)
2020 & up	Defender DPS (HD10), XT(HD10), XT-P, PRO DPS, PRO XT		715005492			
2020 & up	Defender XT cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star		715004832			

ProMount PLOWS

CAN-AM ProMount FLEX2 PLOW KIT						
Can-Am ProMount Flex2 72" (18	33 cm) Blade Plow kit	Defender, Defender MAX	715008170	-	zł	
	 These kits include: 					
	- Can-Am ProMount Flex2 Blade.					
	- Push Frame with Quick-Attach	System.				

- Mounting Plate.

CAN-AM ProMount FLEX2 BLADES

an-Am ProMount Flex2 72" (183 cm) Blade	Fits ProMount Push Fra	me	715004485	2 394 zł	
	 Plow blade made of UHMWPE, flu absorbing material prevents dam accidental impact occurs. Replaceable wear blade. 		ClearsBlade I	 Blade design provides best snow roll-off at any an Clears 66" (168 cm) when plow is fully angled. Blade height of 17" (43 cm). 		
	 Large pin designed for easy blade snow buildup at pivot point. 			 Compatible with Can-Am ProMount Blade accessories further enhance plow versatility. 		

Defender, Defender MAX

Can-Am ProMount Steel 72" (183 cm) Blade Plow kit

- S. A.
- These kits include: - Can-Am ProMount Steel Blade.
- Push Frame with Quick-Attach System.
- Mounting Plate.

CAN-AM ProMount STEEL BLADES 715006337 · Black 1 645 zł Can-Am ProMount Steel 66" (168 cm) Blade Fits ProMount Push Frame 715006338 · Yellow Plow blade made from 12-gauge steel. Blade height of 17" (43 cm). Compatible with Can-Am ProMount Blade accessories to · Replaceable wear blade. further enhance plow versatility. · Large pin designed for easy blade rotation to eliminate snow buildup at pivot point. • Not compatible with S3 High Clearance front A-Arm. Blade design provides best snow roll-off at any angle. - Clears 60" (152 cm) when plow is fully angled. **715004474** • Black 1 951 zl Can-Am ProMount Steel 72" (183 cm) Blade Fits ProMount Push Frame 715006021 · Yellow Plow blade made from 12-gauge steel. · Clears 66" (168 cm) when plow is fully angled. Replaceable wear blade. Blade height of 17" (43 cm).

- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
 - Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Not compatible with S3 High Clearance front A-Arm.

715008172 · Black

715008171 · Yellow

zł

CAN-AM ProMount ANGLE PLOWS

Can-Am ProMount 66" (168 cm)	Steel Oneway State Blade	Fits ProMount Push Fram	ne	715007263	1 993 zł
	 Make the job easier with the right and make the task easier by send of the way. Wing end of plow measures 26" (t down to 16" (41 cm). 	ling the snow further out	higher. • Rubber	ay "winged" state plow design r flap designed to keep snow a n branded.	

Can-Am ProMount 72" (183 cm)	Steel Oneway State Blade	Fits ProMount Push Frame	715007264	2 191 zł
	 Make the job easier with the right and make the task easier by send of the way. Wing end of plow measures 26" (r down to 16" (41 cm). 	ling the snow further out higher • Rubbe	ay "winged" state plow desigr r flap designed to keep snow a m branded.	

Can-Am ProMount Edge	Markers D	efender, Defender MAX	715004206	190 zł
1	 Help locate the edges of your plow. 			
	 Height: 24" (60 cm). 			
	 Sold in pairs. 			
BELL-	 Compatible with Can-Am ProMount blades with or without Blade Extens Can-Am ProMount Steel 54" (137 cm 	ions (except for the		

Can-Am ProMount 66" (168 cm) Plastic Wear Blade	Defender, Defender MAX	715004482	385 zł
Can-Am ProMount 72" (183 cm) Plastic Wear Blade	Defender, Defender MAX	715004483	645 zł



To help prevent scratches on smooth driveways and markable surfaces.

Can-Am ProMount Drift Cutters	3	Defender, Defender MAX	715006258	645 zł
	 Help keep snow in the plow. 	1	· · · · · · · · · · · · · · · · · · ·	
	• Dimensions: 17" x 13" (43.2 cm x	33 cm).		
. Lole	 Sold in pairs. 			
	 Compatible with Can-Am ProMo blades with or without Blade Ext the Can-Am ProMount Steel 54" 	ensions (except for		
Can-Am ProMount Blade Exten	sions	Defender, Defender MAX	715004205 · Black 715005319 · Yellow	474 zł
	 Add 3" (8 cm) each side. 			
	- Add 5 (6 cm) each side.			
- Contraction of the Contraction	 Compatible with Can-Am ProMo Can-Am ProMount Steel 54" [137 			

	 Compatible with Can-Am ProMount S Blades (except for the Can-Am ProMo cm] Blades). 				
Back Drag Blade (Not illustrated)	Pro	Mount Plows (60'' an	id more)	715007794	1 119 zł
	 ¼ thick steel swivel scraper. Lifts up when the vehicle is moving fo affect the scraping. 	 Lifts up when the vehicle is moving forward so as not to 		he scraper off the ground able in length for compa " blades.	so that it scrapes evenly. tibility with 60", 66"
	 Increased capacity to pull snow. More aggressive scraping in reverse in the second second	mode.	 Compa 	atible with ProMount blac	des (Flex and Steel).

Can-Am ProMount Push Fr	ame With Quick-Attach System	Defender, Defender MAX	715008116	2 238 zł
• •	 Heavy-duty steel tubes designed roughest use. 	d to withstand the	 Plow Limit Switch recommended lifespan. 	to extend winch cable
	 Mid-mount carriage provides ult traction. 	Mid-mount carriage provides ultimate push strength and traction.		te required for
	 Designed for maximum plow lift 	height.	 Blade swivels left or right, 5 posit 	ions.
	 Features a self aligning quick-att release pedal and an ergonomic adjustment. 		 Large pin designed for easy blade dirt and snow buildup at pivot poi 	
Can-Am ProMount Push Fr	ame Extension	Defender, Defender MAX	715006257	708 zł
	• 12" (30 cm) push frame extensio	n required when plow is ins	stalled with Apache Track Systems.	

Can-Am ProMount Mounting	Plate	Defender, Defender MAX (2021 & prior)	715007743	666 zł	
		roMount Push Frame with Quick-At ted to stay on year round without co	,	nce.	
	Comes with the Plow Roller Fairlead.				
	 Not compatible with S3 Front High Clearance A-Arm (715003784 and 715005116). 				

Can-Am ProMount Mounting	Plate	Defender, Defender MAX (2022 & up)	715007745	422 zł
	 Required to install the Can-Am Pr 	roMount Push Frame with Quick-Att	ach System.	
	 Mounting plate precision-design 	ed to stay on year round without cor	npromising ground clearance.	
	 Comes with the Plow Roller Fairle 	ead.		

• Not compatible with S3 Front High Clearance A-Arm (715003784 and 715005116).

Plow Angling System*		Defender, Defender MAX	715006022	6 051 zł
	 Allows you to have full up/down a Using one hand to control all plot 	an easy-to-control unit from the driv and left/right plow control at your fi w motions will allow you to easily cc 57) is required for installation with t kcountry Track System.	ngertips by using the supp oncentrate and manage you	ur plowing tasks.
Plow Roller Fairlead		Defender, Defender MAX	705203753	328 zł
	 Larger diameter lower roller redu Can be used with all ProMount p 	ices wear on wire rope for plow app lows.	olication.	
ProMount Plow Limit Switch (Not illustrated)		Defender, Defender MAX	715006259	547 zł

- For controlling the cable tension when over raising your plow system.

Prevents winch, plow push frame and vehicle damage.

Sensor relocated for optimal lift height.

Super-Duty 72" (183 cm) Blade I	Plow Kits	Defender, Defender MAX	715003416	- zł
Can-am	 A comprehensive plow system v angling. Ultra-durable 72" (183 cm) blade with integrated reinforcement a to tackle the most demanding jo Requires a winch for raising and Convenient disconnect system f installation or removal. Front mount provides minimum 	- 72" (* made of 12-gauge steel nd heavy-duty push tubes bs. lowering. for quick and easy	Includes: 183 cm) Super-Duty Plow. 1r-Duty Plow Push Frame. 1r-Duty Plow Mounting Kit.	
		Defender, Defender MAX (2019 & prior) Defender, Defender MAX (2020	715002840	7 321 z
Super-Duty Plow Hydraulic Ang	~	and left/right plow control at your fir	715006038	
	the driver's seat. • Using one hand to control all plo allow you to easily concentrate a	you will send snow exactly where yo	x will	-
Super-Duty Plow Push Frame Ex (Not illustrated)	ctension	Super-Duty Plow	715001221	1 530 z
	 Extension to use the Super-Duty Comes with Plow Magnetic Swit Requires Front Bumper or Front 	Plow with the Apache 360 LT Track tch and Plow Pulley.		
Plow Blade Extensions		Super-Duty Plow	715001217	1 457 z
	 Include rubber flaps for extension Sold in pairs. 		1	
Plow Edge Markers (Not illustrated)		Super-Duty Plow	715001216	204 z
	 For a more accurate view of the Allows you to work closely arour 	, ,		
Plow Drift Cutter (Not illustrated)		Super-Duty Plow	715001218	510 z
	 Keeps snow securely in the plov Allows you to cut a cleaner pass Sold individually. 			
			715001219	
•		Super-Duty Plow	715001219	510 z
•	Keeps snow away from the drive	Super-Duty Plow er and helps snow to roll in front of th		510 z
Plow Rubber Flap (Not illustrated) Plow Pulley (Not illustrated)	Keeps snow away from the drive			
(Not illustrated)	Keeps snow away from the drive For use with the Super-Duty Plot Helps winching efficiency. Requires Front XT Bumper.	super-Duty Plow	e plow.	510 zł
(Not illustrated)	 For use with the Super-Duty Plot Helps winching efficiency. 	super-Duty Plow	e plow.	

COVERS & ADD-ONS

		Defender, Defender 6x6 Defender MAX, Defender		715004453	1 364 zł 2 180 zł
Frailering Cover				715004454	
	 Heavy-duty canvas made of UV-r polyester. 	esistant solution-dyed		er-resistant trailering cover prote storage and transportation.	ects your vehicle
5	 Inner soft liner protects windshie 	eld and colored panels	 Openi 	ng for fuel cap.	
	from abrasion.		 Quick 	and easy installation.	
	 All high-abrasion areas are reinforced with a double canvas layer. 			 Designed to perfectly fit your vehicle with or without Can-Am accessories. 	
Bolt-On† Retractable Ratcheting	J Tie-Downs			295101072	165 z
	 Perfect for transporting your pov securing loads. Mounts easily: Bolts on any flat s frame). 	slackens, spools and stores away strap, while the			
لحى **	 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength. 		 Rubber ratcheting handle provides firm grip, and the ho is vinyl coated to protect whatever surface it hooks into Sold in pairs. 		
Ratchet Tie-Downs				715008309 Black/Grey	92 z
Candidation and the second second second	• 400 lb (181 kg) safe working load				
BERADDI LÉVÉRE COTANI BER	 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos. 				
	Deluxe ratchet with rubber handle.				
	Coated S hooks.				
	 Pack of 2. 				
leavy-Duty Ratchet Tie-Down				715008308	203 zł
	 1,000 lb (454 kg) safe working loa 	ad.			
	• 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.				
	Deluxe ratchet with rubber handle.				
	Black-coated clip hooks.				
	 12" (300 mm) webbing included. 				
	 Pack of two. 				

TIRES & RIMS

	Defender MAX HD8, Defender DPS HD8, Defender MAX DPS HD8, Defender XT HD8, Defender MAX XT HD8, Defender DPS CAB HD8		705402754 · Front	566 zł
XPS Trail Force Tires		Defender LTD HD 10 , Defender MAX XT HD8, Defender DP3 CAB HD8, Defender LTD HD 10 , Defender MAX LTD HD 10 (front only)		606 zł
	 All-terrain radial tire. 8-ply construction offered in 27X9F Versatile and suitable for many type Aggressive tread pattern for better Tread depth: 20 mm Max PSI: 42 	es of terrain.	errains.	
			705402504 · Front	827 z
ITP Cryptid		Defender X mr	705502913 · Rear	867 zł

Maxxis Bighorn 2.0 Tire

			705402168 • Front 705400961 · CC	692 zł
	 Front: 27" x 9" x 14". Rear: 27" x 11" x 14". 	Defender (XT, XT Cab)	705502665 • Rear 705501295 · €€	737 zł
			705402560 • Front 705401386 • CC	672 zł
	 Front: 27" x 9" x 12". Rear: 27" x 11" x 12". 	Defender	705502938 • Rear 705501818 · €€	717 zł
	• Front: 28" x 9" x 14".		705402080 · Front	757 zł
	▪ Rear: 28" x 11" x 14".	Defender	705502603 · Rear	782 zł
		Defender /Deep & DDC medale	705402107 • Front	566 zł
Maxxis M923J / M924J		Defender (Base & DPS models only)	705502626 · Rear	587 zł



Front: 25" x 8" x 12".
Rear: 25" x 10" x 12".

	715003839 • 27" × 9"× 14"	584 zł
Rear Tire Chains	715000225 · 29" x 9"x 14"	422 zł



Improve your traction in mud and snow. Sold in pairs.

441 Dim			705401594 · Front		
14" Rim (Not illustrated)		Defender, Defender MAX	705502146 • Rear	1 295 zł	
	 Black with clear coat aluminum 				
	 Choice of beadlock color (not in 				
	 Needs 16 bolts (250000787) for 				
	 Front: 14" x 6.5" offset = 41 mm. 				
	 Rear: 14" x 8" offset = 51 mm. 				
			705401586 · Manta Green		
			705401702 · Octane Blue	400 -	
			705401837 · Can-Am Red	428 z	
14" Beadlock Rings		Defender, Defender MAX	705401840 · Black		
a 200 000	Cast aluminum beadlock.				
	 Must be installed on Front Rim (705401594) and Rear Rim (705502146). 				
C.	Matching Nuts - 250100184 Matching Cap - 705400928				
12" Rim			705401678 · Black · Front	1 087 z	
(Not illustrated)		Defender, Defender MAX	705502244 · Black · Rear	1 110 z	
	Black with clear coat aluminum rim.				
	 Choice of beadlock color (not included). 				
	Needs 16 bolts (250000787) for installing the beadlock.				
	• Front: 12" x 6" offset = 41 mm.				
	Front: 12" x 6" offset = 41 mm.				

			705401816 · Can-Am Red 705401815 · Orange Crush	
12" Beadlock Rings		Defender, Defender MAX	705401813 Orange Orasi 705401814 Yellow 705401695 Octane Blue	399 zł
	 Cast aluminum beadlock. Must be installed on Front Ri and Rear Rim (705502244). 	m (705401678)	1	
	Matching Nuts - 250100184 Matching Cap - 705400928			
			■ 705401848 · Black and machined · Front	735 z
		Defender, Defender MAX (front	 705401849 · Black · Front 705502397 · Black and machined · Front 	735 zł
Outlander X mr and Defend	ler Rim	wheels)	705502398 · Black · Rear	100 21
Cost -	• Rear: 14" x 8.5" offset = 23 mi Matching Nuts - 250100184 Black, Matching Cap - 705401541			
			705402338 · Black · Front	809 z
Defender Cast-Aluminum 1	4" Rim	Defender, Defender MAX	705502778 · Black · Rear	735 zł
	 Front: 14" x 7" offset = 41 mm Rear: 14" x 8.5" offset = 51 mr 			
	Matching Nuts - 250100184 Matching Cap - 705401541			
Lone Star Cast-Aluminum 14" Rim			705402334 · Front	717 z
(Not illustrated)		Defender, Defender MAX	705502775 · Rear	809 zł
	 Front: 14" x 7" offset = 41 mm Rear: 14" x 8.5" offset = 51 mr 			
	Matching Nuts - 250100184 Matching Cap - 705401541			
		705402120 · Black · Front		717 zł
		705402118 · Silver and machined · Front 705402121 · Black and machined · Front		717 zł
		705402121 · Black and machin 705502637 · Black · Rear	ileu · Front	717 zł 809 zł
Defender Rim		705502637 · Black · Real		809 zł
(Not illustrated)		705502635 · Black and machine		809 zł
	Front: 14" x 7" offset = 41 mm	, ·		
	 Front: 14 x 7 offset = 41 mm Rear: 14" x 8,5" offset = 51 mr 			

EXPLORE AN ENTIRE WORLD OF ADVENTURE WITH ALL OF OUR BRP PRODUCTS. BRP.COM









ski-doo Lynx Serrood Can-am ROTAX ALUMAChapt Manitou QUINTREX

